NRO4001





Item no. NRO4001-1021 **General Product Information** Dimensions LxWxH 671x529x281 cm 2 - 5 Age group Play capacity (users) Colour options





The Little Turtle's Town is an entire, intriguing toddlers can loop a variety of manipulative, world of toddler play that will attract and retain themed play panels, using their gross and fine motor skills and muscles while doing so. The house themed unit and the manipulative details additionally support the emerging dramatic play in the toddlers. The scale of the Little Turtle's Town is perfectly shaped for toddlers. The bridge links offer balancing, bouncing and crawling experiences and all train the concept of being higher than and lower than, above and below. This aids spatial awareness which again

support mathematical understanding. The lovely slide is looped greatly with the transfer platform, allowing for easy assistance for less mobile users. The transparency of the Little Turtle's Town works wonders for the overall communication and cooperation with all friends across and from inside to outside, supporting turn-taking and cooperation skills. Everyone can participate in play here and be part of the center of play, thanks to the openness in design.

all toddlers in fun play again and again. The richness of play activities makes it fun to investigate and also supports multiple areas of child development. KOMPAN Play Institute research has documented, that the many manipulative details increase play retention. Additionally it supports dramatic play, which again supports language and communication skills for toddlers. In the Little Turtle's Town

NRO4001





Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down guickly.











Gearshift panel

Social-Emotional: cooperation, turn-taking, sharing. Cognitive: suggests a theme and supports dramatic play, which stimulates languages skills. Communication skills when explaining functionalities. Creative: changing the position of the gear, leaving your mark.



Window with curtains



Physical: tactile stimulation supports sensory

skills, when children explore characteristics of the materials. Social-Emotional: social

Cognitive: understanding object permanence

when playing, e.g. peek-a-boo. Dramatic play

interaction between inside and outside,

supporting turn-taking and cooperation.

support, encouraging language skills. Creative: leaving a mark, deciding how to

















Balance beam

Physical: trains the sense of balance, fundamental for all other motor skills that makes it possible to navigate the world confidently and securely. Social-Emotional: turn-taking skills and negotiation when crossing each other on the beam. Room for a seated rest and exchange.





Social-Emotional: cooperation skills and

turn-taking are supported when turning the



Crawl-through hole

Physical: the hole allows for climbing and crawling through, developing cross coordination, proprioception and spatial awareness. Social-Emotional: cooperation and turn-taking when passing one another.



Physical: the children crawl through the tunnel, developing motor skills such as crossbody coordination and proprioception. Social-Emotional: turn-taking when passing each



gearing wheel. Cognitive: cause and effect understanding, and logical thinking are supported.

Gear wheels





place curtains.

NRO4001



140 cm 70.9 m² 45.5 3.33 m³ 0.00 m³ 100 cm 2,188 kg



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).




The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The paint used for coloured components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.

Item no. NRO4001	-1021		
Installation Information			
Max. fall height	14		
Safety surfacing area	70		
Total installation time			
Excavation volume	3.		
Concrete volume	0.		
Footing depth (standard)	10		
Shipment weight	2,1		
Anchoring options	In-ground		

•	Surface	•
Warranty Inform	ation	
EcoCore HDPE	Life	time
Hot dip galvanised steel	Life	time
Robinia wood	15 y	ears
Spare parts guaranteed	10 y	ears
Stainless steel components	Life	time



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



There are Multiple footing options for all products: Surface anchoring with steel footings and expansion bolts. Wood in-ground or steel in-ground footings.



Robinia products are available in three different wood treatment options: untreated Robinia wood or brown painted with a pigment that maintains the wood colour and coloured version with paint of selected components.

Elevated activities 9	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	9	3	1
Required	5	3	3

CSA Z614 compliant **Sustainability Data**

NRO4001





Cradle to Gate A1-A3	Total CO ₂ cO ₂ e/kg		Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO4001-1021	566.76	0.32	4.98

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





NRO4001



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW