



Waterlilies Balance Post, 5 pcs

NRO820

| | |
|-----------------------------|---|
| Item no. NRO820-0601 | |
| General Product Information | |
| Dimensions LxWxH | 217x107x32 cm |
| Age group | 2+ |
| Play capacity (users) | 2 |
| Color options |   |



The Water Lilies Balance Posts appeal to children who love to play 'The Ground is Lava' game. The Water Lilies invite jumping or balancing from one to the next. The can also be used as individual seats and cater for meeting and exchanging. The Water Lilies are wide so appeal to children who are less confident with balancing. When balancing from

one water lily to the other, children train their proprioception and sense of balance, both fundamental skills in confidently managing the body in its surroundings. Crossing the Water Lilies with friends teaches children how to take turns. These are important social-emotional skills that are basic to the ability to form friendship and relate to peers.



Waterlilies Balance Post, 5 pcs

NRO820



Balance posts

Physical: sense of balance is trained, and bone density built when jumping between and off the pods. **Social-Emotional:** turn-taking and cooperation as well as room for a seated rest with friends.




Waterlilies Balance Post, 5 pcs

NRO820



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The steps are available in two versions. Either 1) plywood with a thickness of 21,5mm from alder and pine wood with both sides covered by 2 layers of phenolic film with anti-slip net pattern or 2) EcoCore HDPE panels.



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

| | |
|--------------------------|--------------------------|
| Item no. NRO820-0601 | |
| Installation Information | |
| Max. fall height | 32 cm |
| Safety surfacing area | 16.8 m² |
| Total installation time | 2.4 |
| Excavation volume | 0.21 m³ |
| Concrete volume | 0.08 m³ |
| Footing depth (standard) | 60 cm |
| Shipment weight | 96 kg |
| Anchoring options | In-ground ✓ Surface ✓ |
| Warranty Information | |
| Robinia wood | 15 years |
| Spare parts guaranteed | 10 years |



Sustainability Data

NRO820



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| NRO820-0601 | 9.64 | 0.12 | 0.25 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Waterlilies Balance Post, 5 pcs

NRO820

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)