MUSA, 39 x 79 ft, WPC, 3 ft Walls

FRE600103





Wood Plastic Composite (WPC) has the same texture and looks as wood, is maintenance-free and environmentally friendly. WPC fits perfectly into a natural environment. The fully flat inside gives the best bounce experience when playing. The flat wall becomes a part of the game and adds a new dimension to it, a dimension that can challenge and develop

players' tactical vision of the game. The 9'10" x 6'7" Multi Goal follows the goal size of FIFA Futsal and IHF Handball regulations. The basketball hoop is placed at the official NBA height of 10 feet, and has the offical NBA size of 18 inches in diameter.

| Item no. FRE600103-0901 | | | | |
|-----------------------------|-------------------|--|--|--|
| General Product Information | | | | |
| Dimensions LxWxH | 78'2"x38'9"x12'1" | | | |
| Age group | 3+ | | | |
| Play capacity (users) | - | | | |
| Color options | | | | |





MUSA, 39 x 79 ft, WPC, 3 ft Walls

FRE600103



10 Years



The Wood Plastic Composite panels are made of 100% recycled fibre/wood powder and High Density Poly Ethylene (HDPE). With the dimensions of 860 x 110 x 30mm the boards are extremely strong.



All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.



The posts are made of $80 \times 80 \times 3$ mm profile with horizontally, 6mm welded flanges. This will enable an easy installation and strong construction. The low-density polyethylene post caps are attached with blind rivets.

| Item no. FRE600103-0901 | | | | |
|--------------------------|----------|---------------------|--|--|
| Installation Information | | | | |
| Max. fall height | | 0'0" | | |
| Safety surfacing area | | Oft² | | |
| Total installation time | | 59.1 | | |
| Excavation volume | | 3.13yd ³ | | |
| Concrete volume | | 2.22yd ³ | | |
| Footing depth (standard) | | 2'9" | | |
| Shipment weight | | 7678lbs | | |
| Anchoring options | In-groun | ıd 🗸 | | |
| | Surface | ~ | | |
| Warranty Information | | | | |
| EcoCore HDPE | | Lifetime | | |
| HDG post | | Lifetime | | |

Spare Parts Availability



Each panel has 4 Thermoplastic Vulcanizates plugs connecting the panels to the posts. The plugs reduce the vibration and therefore reduce the noise level. The plugs will also simplify installation as the come with pre-assembled nuts.



KOMPAN Multi Use Games Areas (MUGA) are designed as a flexible system. With the configurator you can easily change size, height, panels, entrances and goals to create a MUGA that fits your environment, budget and purpose.



The WPC boards are attached to $70 \times 45 \times 3$ mm welded flanges with stainless steel M8 bolts, nuts and washers. These connections are not visible from the inside and create a strong and safe connection.

Sustainability Data

FRE600103





| Cradle to Gate A1-A3 | Total CO₂ emission | CO₂e/kg | Recycled materials |
|----------------------|-----------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| FRE600103-0901 | 5,860.01 | 1.64 | 61.73 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Sport



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000




MUSA, 39 x 79 ft, WPC, 3 ft Walls


FRE600103

KOMPAN Let's play

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW