


# Argo

GXY8019



Item no. GXY801912-3717

### General Product Information

Dimensions LxWxH	322x48x51 cm
Age group	6+
Play capacity (users)	5
Colour options	 



The sense of balance is the fundament of all other motor skills. The Argo combines the best of social and physical play challenges and is designed to push children's balancing skills as they make their way to the end. The combination of wobbly also attracts children, again and again, and encourages cooperation and activates social-emotional skills as children

pile on to compete to see who can stay on the longest.




# Argo

GXY8019



## Zig-zag slider

**Physical:** muscle strength, balance and coordination when climbing up and down, holding tight.



# Argo


GXY8019



The steel surfaces of GALAXY are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance and requires low maintenance.



The rocking tube is made of medium density PE with excellent impact strength and usable within a large temperature span. The longitudinal grooves provide a slip resistant surface for safe play.



The rocking is supported by a hot-dip galvanised Ø76x4mm steel tube which is then fixed with five uniquely designed impact strengthened nylon (PA6) clamps that allows the rocking tube to flip 25 degrees up and down.

Item no. GXY801912-3717

### Installation Information

Max. fall height	51 cm
Safety surfacing area	19.7 m <sup>2</sup>
Total installation time	3.3
Excavation volume	0.86 m <sup>3</sup>
Concrete volume	0.48 m <sup>3</sup>
Footing depth (standard)	90 cm
Shipment weight	108 kg
Anchoring options	In-ground ✓ Surface ✓

### Warranty Information

Hollow PE parts	10 years
Galvanised Steel	Lifetime
PUR Components	10 years
Ropes & Nets	10 years
Spare Parts Guarantee	10 years



The unique GALAXY super triangle deck plate has an inner core of galvanised steel and soft outer layer of PUR rubber. The rounded edges have a non-skid pattern for safe play.




The hang-on puller is designed with a welded steel core and covered with a low-density Polyethylene housing. The two rubber coated handles are angled to provide the best possible ergonomic while gliding. The wheels of the puller are manufactured from low noise Thermoplastic Polyurethane and installed with sealed ball bearings.



# Sustainability Data

GXY8019



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>GXY801912-3717</b>	231.34	2.70	32.48

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.


**Publication date: 30. October 2023**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



GXY801900-xx17  
\*51cm  
\*\*51cm  
\*\*\*19.7m<sup>2</sup>



GXY801900

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)