## **Bryant Play & Stay**

PCX0001



Item no. PCX000100-0602				
General Product Information				
Dimensions LxWxH	238x73x110 cm			
Age group	2 - 5			
Play capacity (users)	10			
Colour options	• •			





The BRYANT Play Panels with Talk Tubes is a play space divider and ground level activity with enormous play value. Around the panels, children can find several tactile elements to stimulate their physical, social-emotional and cognitive development. The different activities invite many children to play side by side for a long time. The verbal interaction when playing

with the talk tube stimulates social skills such as turn taking, sharing and listening, as well as cognitive skills such as language development. When making stories about the expressions of the faces, children develop their emotional skills, whereas the carved geometric shapes, numbers and the tube allow for cognitive development, understanding cause-and-effect, as well as fine motor skills when following the direction of the shapes with fingers.




PCX0001





### Play panel

**Social-Emotional:** communication, listening, sharing when exploring panel with friends. **Cognitive:** stimulate children's language skills and knowledge of numbers and geometric shapes. The passing of materials through funnels supports the children's logical thinking and for younger children the understanding of object permanence: that materials don't vanish, but run through at the other end.





# Talk tube Social-Emotional: encourages communication and social interaction. Cognitive: evokes curiosity and stimulates an understanding of cause and effect and object permanence: objects and persons exist also when out of sight.



#### Face expressions


Social-Emotional: helps children learn to differentiate and talk about different emotions. Cognitive: stimulates theory of mind: that others may have different feelings. Stimulates the understanding of symbols and facial expressions as symbols for emotions.

## **Bryant Play & Stay**




PCX0001





All steel components are made of high quality materials. The posts have an alloy with improved tensile and yield strength according to the NYCP material specification. The painted aluminum post caps are riveted to the top of the post. All panels and one-piece welded steel grids are made of low carbon steel and corrosion treated by hot dip galvanization or metallization with a minimum thickness according to NYCP material specification.



The products are designed in three different standard color combinations: Red and light blue, Light blue and lime green, Green and lime green. The layouts of the play structures can be customized through the KOMPAN Variant Team.

Item no. PCX000100-0602				
Installation Information				
Max. fall height	0 cm			
Safety surfacing area	0.0 m²			
Total installation time	4.3			
Excavation volume	0.06 m³			
Concrete volume	0.00 m³			
Footing depth (standard)	60 cm			
Shipment weight	157 kg			
Anchoring options	n-ground 🗸 🗸			

Warranty Information				
EcoCore HDPE	Lifetime			
HDG post	Lifetime			
HPL decks	15 years			
Ropes & nets	10 years			
Spare parts guaranteed	10 years			

Elevated activities <b>0</b>	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	3	2
Required	0	2	2



## **Sustainability Data**

PCX0001



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCX000100-0602	407.20	3.49	48.00

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

KOMPAN Let's play

Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO<sub>2</sub> calculation of: Play systems



Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



Data is subject to change without prior notice.

+45 7731 1000

**By Bureau Veritas HSE** 

www.bureauveritas.dk





PCX0001

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area



\* Max fall height | \*\* Total height





PCX000100

\*\* 3'-7" / 110cm

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 06/06/2024