Crawling Pyramid

NRO826



Item no. NRO826-0801		
General Product Information		
Dimensions LxWxH	399x405x149 cm	
Age group	4+	
Play capacity (users)	6	
Colour options		





The Crawling Pyramid is unique and an absolute hit with children. The layered beams are a magnet for children to climb and explore the unit. Looking like a 'pile' of logs, the children play balancing games such as 'The Ground is Lava'. It is also low, which means it is possible to reduce the impact area size. The logs are made of organic and durable Robinia timber, so children can touch and feel the timber while playing, observing how nature inspiration interacts with the built environment.

Crawling Pyramid

NRO826





Balance beams

Physical: balancing is a favorite activity for all ages, and the balance beam is the classic balancing equipment. **Social-Emotional:** the beams make a nice destination and meeting point and take cooperation when crossing by others on the way through the Crawling Pyramid.



Crawling Pyramid

NRO826



All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).

The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



Item no. NRO826-0801		
Installation Information		
Max. fall height	70 cm	
Safety surfacing area	41.9 m²	
Total installation time	8.7	
Excavation volume	0.79 m³	
Concrete volume	0.02 m³	
Footing depth (standard)	82 cm	
Shipment weight	503 kg	
Anchoring options	In-ground 🗸	
Warranty Information		
Robinia Wood	15 years	
Spare Parts Guarantee	10 years	



Sustainability Data

Cradle to Gate A1-A3

NRO826-0801

NRO826



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

94.36

CO2e/kg

kg CO₂e/kg

0.26

Recycled

materials


%

3.05




NR0826





* Max fall height | ** Total height





NR0826

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 11/18/2024