SW990202






and sense of balance. Well-trained senses of balance and space help children navigate the world securely and add to their self-confidence. Swinging together on the Duo Swing Seat adds tons of social-emotional benefits to the ride: Children learn cooperation and turn-taking

when swinging together. Furthermore, they

movements train the child's spatial awareness

need to adjust their rhythm in movement. These are great skills in play as well as in making friends.















There is nothing quite like swinging. The Duo

possible to swing at eye level with your best

friend. The sturdy handholds of the Duo Swing

feeling of security. Swinging on the Duo Swing

seat is more than mere fun: the swinging

Seat add the possibility of vigorous swinging movements. At the same time, they add to the

Swing Seat adds to the joy by making it

SW990202











#### Grip bars

Physical: height and diameter to support grips of sizes from toddler to grandparent. Social-Emotional: feeling of security when being able to hold onto properly proportioned grip.









#### Swing seats

Physical: balance and spatial awareness are stimulated by swinging. These are necessary skills in judging distances. Social-Emotional: the cooperation in movement of swinging together trains teamwork understanding and empathy. Cognitive: 'Cause and effect' understanding, managing rhythm and thinking skills for younger children when swinging.

SW990202



160 cm

15.5 m<sup>2</sup>

0.00 m<sup>3</sup>

0.00 m<sup>3</sup>

0 cm

25 kg

0.3



KOMPAN's swing hangers are heavy-duty and designed with stainless steel and anti-twist functions. The hangers attach to the cross beam on a welded bracket with two bolts. The bearings are embedded with silicone lubricant and need no further lubrication; ensuring low maintenance.



The Duo Swing Seat is fitted with 6mm stainless steel chains.



The frame is powder-coated inside and the outside is hot-dip galvanised steel.

Warranty Information

Chains 10 years
Galvanised/painted 10 years
metal

Movable Parts 2 years
Spare Parts Guarantee 10 years
Swing Seat 10 years

Item no. SW990202-00

Installation Information

Max. fall height

Safety surfacing area

Total installation time

Footing depth (standard)

Excavation volume

Concrete volume

Shipment weight

Anchoring options



The Duo Swing Seat can be installed on KOMPAN A-Frame, Robinia Frame and Portal swing systems for the heights 2.5 and 3.0. The swing seat is not applicable for 2.0.



All soft seat materials are UV and ozone protected to create a durable solution which is suitable for any climate.



The baby seat is made of black TPV (Santoprene), and the uniquely designed larger leg holes allow for an easy transition to and from the seat



## **Sustainability Data**

SW990202





| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO₂e/kg    | Recycled materials |
|----------------------|--------------------------------|------------|--------------------|
|                      | kg CO₂e                        | kg CO₂e/kg | %                  |
| SW990202-00          | 50.66                          | 3.25       | 37.54              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000 VE






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



SW990202 \*\*~240cm \*\*\*15.5m²



SW990202 1:100

Click to see SIDE VIEW