8-Seat Steel Frame H:2.5m

KSW928



Item no. KS\	W928-0910
General Product Information	
Dimensions LxWxH	1400x184x257 cm
Age group	2+
Play capacity (users)	-
Colour options	



Portal Swing Frame Combination



Data is subject to change without prior notice.

8-Seat Steel Frame H:2.5m

KSW928



Installation InformationTotal installation time11.6
Total installation time 11.6
Excavation volume 2.63 m ³
Concrete volume 0.00 m ³
Footing depth (standard) 90 cm
Shipment weight 524 kg
Anchoring options In-ground 🗸
Warranty Information
Hot dip galvanised steel Lifetime
Movable parts 2 years
Post 10 years
Spare parts guaranteed 10 years



Sustainability Data

Cradle to Gate A1-A3

KSW928-0910

| | | |

KSW928



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

1,180.79

Recycled

materials

%

46.73

CO₂e/kg

kg CO₂e/kg

3.17