


Cliff Rider

PCM212621



| | |
|---------------------|----------------|
| 产品编号 PCM212621-0905 | |
| 产品信息概览 | |
| 长宽高尺寸 | 130x563x329 cm |
| 适用年龄段 | 6+ |
| 容纳人数 | 11 |
| 颜色选择 | |



The amazing Cliff Rider is hugely attractive to school age children. It calls for repeated loops of action, again and again. The intensely thrilling ride high up in the air, on a small footrest, is for the courageous. And those who aren't at the first go, get there with a little help from their friends. Till then, there is ample climbing and gliding on the climbing walls, climbing cleats on poles and the fireman's pole.

When testing the Cliff Rider with children, they

rated it a top scorer in thrilling play: Height, speed and rough-and-tumble was what the children really liked when playing here. From a more adult perspective, the Cliff Rider trains the muscle force and tension as well as the timing and sequencing of movements. Judging your body's movements, object control as well as timing is quite a complex task, but a necessary life skill that make it possible for instance navigate the body securely and confidently through environments, e.g. in the

street traffic. As opposed to NOT being able to do this, the children who master these skills have body confidence, self confidence and ultimately the ability to concentrate on other things, such as academic topics in school. Last but not least, the self-confidence that children gain from overcoming their initial hesitations to travel on the Cliff Rider, is the more reason that they should.



Cliff Rider

PCM212621



Climbing wall

身体素质：培养儿童攀爬时的交叉协调能力、手眼协调能力和肌肉力量。**社交情感：**双面攀爬活动需要合作意识。



Cliff rider

身体素质：pushing and pulling train major muscles. Timing and force of movement to make a smooth ride train proprioception and coordination. **社交情感：** supports cooperating, turn-taking skills and empathy. Stepping into the open air builds courage. **认知能力：** the force and coordination of movements add to childrens' confidence and teach them important life skills.



Fireman's pole

身体素质：当下降时，协调得到支持，同时也锻炼了手臂和核心肌肉。着地时会增强骨密度，这对于儿童早期生活中的骨骼建设至关重要。**社交情感：**训练轮流意识和风险意识。




支撑手持装置

身体素质：手柄可为不太自信的攀爬儿童提供良好的抓力。将自己拉起并拉入绳网，可锻炼上身肌肉。**社交情感：**不同能力的儿童都可以独立、安全地进入，是适合所有人的游戏。

Cliff Rider

PCM212621



19 毫米 EcoCore™ 面板。EcoCore™ 是一种高度耐用、环保的材料，不仅在使用后可回收利用，而且还包含由 100 % 食品包装可循环材料制成的芯。



所有平台底板均由独特设计的低碳铝型材支撑，并具有多种加配选择。灰色模制平台底板由 75% 消费后的海洋可循环 PP 材料制成，具有防滑图案和表面纹理。




Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.



撑竿跳高杆由焊接钢结构制成，带有 360° 站立式 Ekogrip 平台。双面弧形手柄由 EcoCore 材料制成。杆结合了卓越的人体工程学和出色的功能。



来回摇摆运动由重型比例的双橡胶扭转弹簧元件控制。橡胶元件可确保安全运动并降低朝向塔台平台的速度。模压 PE 材料的底盖具有高抗冲击性。



不锈钢游戏活动部件由优质不锈钢制成。在制造后使用酸洗工艺对钢进行清洁，以确保光滑和清洁的顺滑表面。

产品编号 PCM212621-0905

安装信息

| | |
|--------|---------------------|
| 最大跌落高度 | 210 cm |
| 安全面积 | 34.0 m ² |
| 安装总时长 | 19.7 |
| 开挖量 | 0.67 m ³ |
| 混凝土使用量 | 0.16 m ³ |
| 标准入地深度 | 90 cm |
| 运输重量 | 677 kg |
| 固定选项 | 地表 ✓ 入地 ✓ |

质保信息

| | |
|--------------|------|
| EcoCore HDPE | 终身质保 |
| 镀锌钢结构 | 终身质保 |
| 立柱 | 10 年 |
| PP 板 | 10 年 |
| 承保零部件 | 10 年 |



Sustainability Data

PCM212621



从原材料到成品

CO₂ 排放总量

kg CO₂e

CO₂ 排放量 / 千克

kg CO₂e/kg

回收的原料

%

PCM212621-0905

1,098.90


2.19

64.15

这些因素采用的总体框架为环保产品声明 (EPD), 该声明可量化“产品生命周期的环保信息, 并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时, 对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



Cliff Rider


PCM212621

最大跌落高度 | 总高度 | 安全区域



[点击查看俯视图](#)

最大跌落高度 | 总高度



[点击查看侧面图](#)