NRO209



Item no. NRO209-0601	
General Product Informatio	n
Dimensions LxWxH	16x16x30 cm
Age group	6m - 5
Play capacity (users)	1
Colour options	





Product is available as FSC® Certified (FSC® C004450) robinia wood on request.

NRO209





Pole seats Physical: balancing and jumping from one seat to the next trains balance, proprioception and builds bone density. **Social-Emotional:** sharing, listening when having a break.



NRO209



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Item no. NRO209-0601					
Installation Information					
Max. fall height		0 cm			
Safety surfacing area		0.0 m²			
Total installation time		0.9			
Excavation volume	0	.04 m³			
Concrete volume	0	.00 m³			
Footing depth (standard)		60 cm			
Shipment weight		17 kg			
Anchoring options	In-ground	~			
	Surface	~			
Warranty Information					
Robinia wood	15	years			
Spare parts guaranteed	10	years			

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1

Sustainability Data

Cradle to Gate A1-A3

NRO209-0601

NRO209



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



B U R E A U V E R I TAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

2.00

CO2e/kg

kg CO₂e/kg

0.15

Recycled

materials

%

0.23

NRO209

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

