Iguana Sculpture

NRO517





Item no. NRO517-0001

General Product Information

Dimensions LxWxH

0x0x40 cm

Age group

Play capacity (users)

Colour options





Sculptures add a lot to the theme and play of the playground. The sculpture is made of wood and afterwards coloured to look like the animal.

Iguana Sculpture

NRO517



All Organic oak products by KOMPAN are made of oak wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Item no. NRO517-0001				
Installation Information				
Total installation time		1.3		
Excavation volume		$0.00 \; m^{\scriptscriptstyle 3}$		
Concrete volume		$0.00~m^{3}$		
Footing depth (standard)		0 cm		
Shipment weight		100 kg		
Anchoring options	Surface	~		
Warranty Information				
Oak Wood		15 years		
Spare Parts Guarantee		10 years		

Sustainability Data

NRO517





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:


made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO517-0001	13.80	0.13	0.00

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))