
M186





General Product Information

Dimensions LxWxH 108x328x109 cm
Age group 3+
Play capacity (users) 10
Colour options














involved will have to cooperate, to work out how to make the ride a success for all. The soothing movement makes children want to sing and enjoy the rhythm.






M186







Rocking together Social-Emotional: the possibility of rocking two together trains cooperation skills. Consideration of others when rocking.









### Center platform

Physical: supports agility, balance and coordination when standing, using leg and core muscles, building bone density when jumping. Facilitate sitting and lying also, allowing for users with disabilities. Social-Emotional: provides an inclusive space. Point for gathering and for care givers assisting. Teamwork and socializing when rocking together.





Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.



Rocking spring







Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.



### Foot support

**Physical:** the possibility of footrest supports intensive rocking. Rocking stimulates the senses of balance and space that are fundamental in managing the world securely.



Double seating option Social-Emotional: the possibility of two rocking together supports cooperation skills. Furthermore, the physical contact with others is great for the well-being of children, measurable in lower cortisol (stress hormone) levels.



Physical: the vertical handgrips ensure a firm grip at different heights, necessary for rocking intensely. This trains hand and arm muscles.

M186





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



All floors are made of High Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

## Item no. M18601-01P

Installation Information			
Max. fall height	100	cm c	
Safety surfacing area	17.	8 m²	
Total installation time		8.7	
Excavation volume	0.4	2 m³	
Concrete volume	0.0	0 m³	
Footing depth (standard)	42	2 cm	
Shipment weight	29	9 kg	
Anchoring options	In-ground	~	

Surface 🗸

## **Warranty Information**

EcoCore HDPE Lifetime
Hot dip galvanised steel Lifetime
HPL platform 15 years
Spare parts guaranteed 10 years
Springs 5 years



KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The usage of two springs and a center tipping point makes possible for users of different ages to play together. The tipping point bushing is a made of high quality nylon (PA6).




All KOMPAN multi seesaws can be equipped with a special designed back support and footrest at each side. This extra back support and footrest are practical additions for children with poor coordination or sense of balance.



# **Sustainability Data**

M186





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M18601-01P	600.85	2.41	42.03

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000









\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



M18601P \*100cm \*\*109cm \*\*\*18m²



Click to see TOP VIEW

Click to see SIDE VIEW