SW990026



General Product Information

Dimensions LxWxH 62x31x0 cm
Age group 1+
Play capacity (users) 1
Colour options









The classic Cradle Seat Swing is an irresistible invitation for infants and their care givers. The swinging motion of the Baby Seat Swing will make infants want to go again and again. There are several benefits of the attraction: firstly, the swing seat supports the seated infant all around so that the feeling of security is guaranteed. Secondly, the swinging motion

trains the child's motor skills, specifically the sense of balance and space. Being seated while swinging also trains the core muscles. All of these physical skills are fundamental to the infants ability to walk and navigate the surroundings securely. The action also stimulates the understanding of cause and effect and thinking skills. Socially, swinging and

getting pushed in the swing seat by parents, care givers or siblings is great fun.





SW990026












#### Cradle seat

Physical: balance, coordination and spatial awareness are developed when swinging. These are necessary skills for judging distances and navigating. Social-Emotional: the rhythmic movement can have a calming effect on young children. Cognitive: understanding of 'cause and effect'.



SW990026







The seats and swing heights are available with either, hot-dip galvanised steel or stainless steel chains.



Item no. SW990026-00			
Installation Information			
Max. fall height	145 cm		
Safety surfacing area	13.9 m²		
Total installation time	0.2		
Excavation volume	0.00 m³		
Concrete volume	0.00 m³		
Footing depth (standard)	0 cm		
Shipment weight	9 kg		
Anchoring options			
Warranty Information			
Chains	10 years		
EPDM Components	2 years		
Spare Parts Guarantee	10 years		



# **Sustainability Data**

SW990026





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
SW990026-00	24.39	2.95	21.82

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000

SW990026




\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



SW990026 \*\*\*13.9m²



SW990026 1:100

Click to see TOP VIEW

Click to see SIDE VIEW