Sign - X-Large

PAR3005



Item no. PAR3005-0901	
General Product Information	n
Dimensions LxWxH	96x5x205 cm
Age group	
Play capacity (users)	-
Colour options	



Extra large size sign for playground.



Sign - X-Large





The steel's inside surfaces are hot-dip galvanised, and the outside with lead-free zinc. Galvanisation has excellent corrosion resistance within outdoor environments and is low maintenance. High-quality polycarbonate with a thickness of 8mm. The graphic prints are added by a unique multi-layer print process where the inner layer is the image and the outer transparent layer functions as protection. Both PC panel and the water-based lacquer are UV stabilized to prevent fading.

KOMPAN

Item no. PAR3005-0901			
Installation Information			
Total installation time		1.1	
Excavation volume	0.1	6 m³	
Concrete volume	0.0	0.00 m³	
Footing depth (standard)	90 cm		
Shipment weight	45 kg		
Anchoring options	In-ground	~	
	Surface	~	
Warranty Information			
Galvanised Steel	Life	Lifetime	
Polycarbonate PC panels	10 y	/ears	
Spare Parts Guarantee	10 y	10 years	



Sustainability Data

Cradle to Gate A1-A3

PAR3005-0901

PAR3005



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



+45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

138.19

CO2e/kg

kg CO₂e/kg

3.67

Recycled

materials

%

34.72