
PCM703











A great place to chill! The Meeting point with bench adds that important option to the playground. The design appeals to older children and is based on research insights: when creating a meeting point, for instance for teenagers, it is important to make it relatively transparent, while keeping a feeling of a safe haven too. This is why the Meeting Point with

Bench features openings in its back support: to make sure that people seated can see what or who is approaching. The side panels ensures a feeling of security and comfort, to make people want to stay. The benches on the side of the meeting point adds to the ability of being seated both ways, having a view of the entire playground while meeting with friends or

watching your children play. The Meeting Point with Bench has so much more to it than meets the eye.





PCM703







Multiple benches Social-Emotional: meeting, sharing, and having a break in a transparent setting.




PCM703



10 years

10 years



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



The steps are made of high-pressure laminate HPL with a thickness 17.8mm and non-skid surface texture. KOMPAN's HPL is high wearing to ensure longevity within the Australian climate.



The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

| Item no. PCM703-0902 | | | |
|--------------------------|-----------|-------------|--|
| Installation Information | | | |
| Max. fall height | | 42 cm | |
| Safety surfacing area | 2 | 0.3 m² | |
| Total installation time | | 5.6 | |
| Excavation volume | 0 | .11 m³ | |
| Concrete volume | 0 | .04 m³ | |
| Footing depth (standard) | | 85 cm | |
| Shipment weight | • | 189 kg | |
| Anchoring options | In-ground | > | |
| | Surface | ~ | |
| Warranty Information | | | |
| EcoCore HDPE | Lifetime | | |



Steel posts are galvanised inside and outside with powder-coated top finish. This provides ultimate corrosion resistance in all climates around the world.



Post

Spare Parts Guarantee

Sustainability Data

PCM703





| Cradle to Gate A1-A3 | Total CO ₂ emission | CO₂e/kg | Recycled materials |
|----------------------|--------------------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| PCM703-0902 | 338.73 | 2.63 | 49.82 |


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





PCM703



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW