Swing Frame, 1 Seat

KSW901





KOMPAN swings can be configured to adapt individual needs & demands. All A-Frame swings are available in 2,0m and 2,5m height with posts of impregnated pine wood or hot dip galvanized steel. As seats we offer standard swing seat, cradle seat, toddler seat or bird nests with a diameter of ø100cm or 120cm. Further the seats are available with either hot

dip galvanized chains or stainless steel chains and if preferred with antiwrap suspensions. The modular swing system also enable multibay configurations with 2,3,4 or more sections.

Item no. KSW901-0902		
General Product Information		
Dimensions LxWxH	244x240x274 cm	
Age group	2+	
Play capacity (users)	-	
Colour options	• •	





Swing Frame, 1 Seat

KSW901



Item no. KSW901-0902			
Installation Information			
Total installation time		3.8	
Excavation volume	1.3	0 m³	
Concrete volume	0.00 m³		
Footing depth (standard)	90 cm		
Shipment weight	g	9 kg	
Anchoring options	Surface	~	
	In-ground	~	
Warranty Information			
Galvanised Steel	Lifetime		
Movable Parts	2 years		
Spare Parts Guarantee	tee 10 years		



Sustainability Data


KSW901





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))