NRO404





Playhouse with classic roof. Inside the playhouse there are a couple of corner benches and a small desk. The product is available in 3 versions: 1: Untreated Robinia wood. 2: Brown oiled wood. 3: Combined colour and untreated wood. The product is available as FSC® Certified (FSC® C004450) robinia wood on request.



### **General Product Information**

Dimensions LxWxH

200x182x256 cm

Age group

6m+

Play capacity (users)

Colour options













NRO404







### Theme

**Cognitive:** suggests a theme and supports dramatic play, which stimulates language and communication skills.







### Window

**Social-Emotional:** invites interaction between sides and cooperative play.







# House with bench Social-Emotional: the house with the bench invite socializing and cooperation. Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.



#### Desk

**Social-Emotional:** great meeting place and space creator for storing or sitting.

NRO404





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.

Item no. NRO404-0621			
Installation Information			
Max. fall height		0 cm	
Safety surfacing area	1	19.3 m²	
Total installation time		10.5	
Excavation volume	(	).17 m³	
Concrete volume	(	0.00 m³	
Footing depth (standard)	60 cm		
Shipment weight		607 kg	
Anchoring options	In-ground	· •	
	Surface	~	
Warranty Information			
Robinia wood	15	5 years	
Ropes & nets	10	) years	
Spare parts guaranteed	10	) years	



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.



## **Sustainability Data**

NRO404





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO404-0621	112.58	0.22	1.61


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


NRO404



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW