MSC6418





Item no. MSC641800-3717P

General Product Information


Dimensions LxWxH 780x736x288 cm

Age group 2+

Play capacity (users) 32

Colour options





is play for all, the whole way around the structure. The wide choice of climbing elements of varied difficulty train motor skills, such as cross-coordination. The slides train balance, and these motor skills are important for navigating the world confidently. There are many meeting points so the social play invitation in the Palace and Fortress is

immense, with rich, dramatic play motivation, thanks to the theme. The ground level den or dungeon invites a break with friends. Here all children can meet, greet and play, making friends for life.





MSC6418









Megaphone

Social-Emotional: inspires communication and turn-taking skills. Cognitive: distortion of sound evokes curiosity and stimulates an understanding of cause and effect.





Climbing net

Physical: children develop cross-body coordination and muscle strength. The asymmetry of the net challenges the children's climbing.



Curved climbing wall

Physical: children develop their cross-body coordination, proprioception and leg, arm and hand strength. Climbing on a curved surface challenges muscles.









Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. Social-Emotional: room for active breaks and adult helpers. An inclusive space.













Rock climber

Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the inclination makes climbing feel secure, especially for younger children.



Physical: crawling trough the possible openings trains spatial awareness. Social-**Emotional:** the enclosed space invites social play for two or three children.

Physical: develops spatial awareness, sense of balance and trains core muscles when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down.

MSC6418



10 years


10 years



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



All floors are made from high-pressure laminate HPL with a thickness 17.8mm and non-skid surface texture. KOMPAN HPL is high wearing and suitable for all climates.



The curved climbing wall is made of Ekogrip® panel that consists of a 15mm thick PE base with 3 mm top-layer of soft rubber with a non-skid effect.

Item no. MSC641800-3717P				
Installation Information				
Max. fall height	193	cm		
Safety surfacing area	68.5	m²		
Total installation time	3	36.1		
Excavation volume	1.89) m³		
Concrete volume	0.00	0.00 m³		
Footing depth (standard)	90	90 cm		
Shipment weight	1,244	4 kg		
Anchoring options	In-ground	In-ground ✓		
	Surface	~		
Warranty Information				
EcoCore HDPE	Lifet	Lifetime		
Galvanised Steel	Lifet	Lifetime		
HPL Decks	15 years			



The slide is made of moulded PE, which has high impact resistance across a wide temperature span and is vandal resistance.



Climbing nets are made of UV-stabilised PP rope with inner steel cable reinforcement. The rope is induction treated to obtain maximum fixation between steel and rope, which provides excellent wear and tear resistance. All rope connectors are made of 100% recyclable PA material.



The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Ropes & Nets

Spare Parts Guarantee

Sustainability Data

MSC6418





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
MSC641800-3717P	2,264.86	2.19	51.71


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Some

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000


MSC6418



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW