## **Play Tower with Bars**

PCM112121





Item no. PCM112121-0905			
General Product Information			
Dimensions LxWxH	316x360x230 cm		
Age group	4+		
Play capacity (users)	11		
Color options			



This play tower with bannister bars and climbing wall attracts children with its varied play offering. Varied climbing, crawling, gliding and balancing make children want to come back again and again. The graduated challenges allows for varied abilities and a wide age span in users. Under the deck there is a nice point for taking a rest and socialising with tic-tac-toe. Climbing helps to develop crosscoordination skills. This enhances a child's ability to use both sides of their brain, and supports the ability of reading. The Fireman's Pole and Banister bars allow for bravehearts to glide down, training their sense of balance and space while having fun. These skills are fundamental in navigating the body through life confidently and safely.



# **Play Tower with Bars**



88

Physical: coordination is supported when

going down, as well as arm and core muscles.

Landing strengthens bone density, which is

built for life in early childhood. Social-

Emotional: turn-taking and risk-taking.

PCM112121



Banister bars Physical: coordination is supported when going down, as well as arm and core muscles. Landing strengthens bone density, which is built for life in childhood. Social-Emotional: turn-taking and risk-taking.







Climbing wall Physical: develops children's cross coordination, eye-hand coordination, and muscle strength when climbing. Social-Emotional: two-sided climb invites cooperation.



### Timer

Social-Emotional: teams can each have a button to measure rounds, wins etc. The buttons support cooperation and teamwork. Cognitive: counting and registering support thinking skills such as logical thinking and sequencing. Creative: children can leave their mark, placing the timer in different positions.



#### Tic-tac-toe panel

Fireman's pole

Social-Emotional: stimulates communication and turn-taking skills. Cognitive: support rules understanding, strategic thinking. Creative: leaving marks when tumblers are left in new positions.

# **Play Tower with Bars**



PCM112121



Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.

Item no. PCM112121-0905			
Installation Information			
Max. fall height	2	209 cm	
Safety surfacing area	2	26.6 m²	
Total installation time		11.3	
Excavation volume	0	).73 m³	
Concrete volume	0	).05 m³	
Footing depth (standard)		90 cm	
Shipment weight		361 kg	
Anchoring options	In-ground	~	
	Surface	~	



The slides can be chosen in six different colors and three materials: Straight or curved onepiece molded PE slides, made from 33% recycled post-consumer materials in different colours. Combined EcoCore™ sides and stainless-steel. Full stainless steel in one piece design for more vandalism proof solutions.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor. TexMade post, EcoCoreTM panels of 95% post-consumer recycled waste and molded PP decks.



## **Sustainability Data**

Cradle to Gate A1-A3

PCM112121-0951


PCM112121-0905

PCM112121



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







#### Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

473.46

665.00

CO2e/kg

kg CO<sub>2</sub>e/kg

1.61

2.58

Recycled

materials


%

75.55

61.65





PCM112121





\* Max fall height | \*\* Total height





PCM112121

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 09/05/2024