Sit & Stand

FRE3054



Item no. FRE3054-3717	
General Product Information	
Dimensions LxWxH	0x0x109 cm
Age group	3+
Play capacity (users)	-
Colour options	



Welcome to the game! The sit and stand frame is a good meeting point that can be installed close to multisport pitches. The frames are available in galvanised or coloured versions.

Sit & Stand

FRE3054



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Item no. FRE3054-3717			
Installation Information			
Max. fall height	(0 cm	
Safety surfacing area	0.	0 m²	
Total installation time		0.8	
Excavation volume	0.1	1 m³	
Concrete volume	0.0	4 m³	
Footing depth (standard)	90	0 cm	
Shipment weight	3	1 kg	
Anchoring options	In-ground	~	
Warranty Information			
HDG post	Life	etime	
Spare parts guaranteed	10 y	ears	



Sustainability Data

Cradle to Gate A1-A3

FRE3054-3717

FRE3054



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO_2 calculation of: Sport



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

91.76

CO2e/kg

kg CO₂e/kg

3.14

Recycled

materials

%


45.75




FRE3054

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





FRE3054

Click to see TOP VIEW

4 / 06/14/2024

