Home & Rescue

MSC6401





Item no. MSC640100-3717P


General Product Information

Dimensions LxWxH 348x425x285 cm

Age group 2+

Play capacity (users) 17

Color options





WOW! The Home & Rescue themes appeal to children's urge for dramatic play stories. The under-deck den invites a break with friends. There is a Home side and a Rescue side, inspiring play stories. Thanks to the two-sided panels and themes and the varied accesses: curved and inclined, the Home & Rescue challenge a wide user group. The curved

climbing wall, the crawl through tire, and the inclined climbing net in their own fun ways train motor skills such as cross-coordination. This influences the brain's ability to read and write. It Builds up body confidence, too, makes children more secure in moving through the world. The Home & Rescue can be played with on all sides. From the upper level tactile details

encourage communication with the outside. Here children meet, greet and play, making friends for life.


Home & Rescue

MSC6401






Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



All floors are made of High-Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.




Curved climbing wall is made of Ekogrip® panel that consist of a 15mm thick PE base with 3 mm top-layer of soft rubber with a non-skid effect.

Item no. MSC640100-3717P			
Installation Information			
Max. fall height	13	3 cm	
Safety surfacing area	32.	0 m²	
Total installation time		23.3	
Excavation volume	0.8	3 m³	
Concrete volume	0.0	0 m³	
Footing depth (standard)	9	0 cm	
Shipment weight	72	24 kg	
Anchoring options	In-ground	~	
	Surface	>	



The slide is made of combined EcoCore™ sides and stainless steel slide bed t=2mm.



Ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Sustainability Data

MSC6401





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials	
	kg CO₂e	kg CO₂e/kg	%	
MSC640100-3717P	1,232.70	2.24	59.10	

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000


Home & Rescue


MSC6401



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW