Horse

M172





Item no. M17201-01P

General Product Information

Dimensions LxWxH

1'2"x3'2"x2'8"

Age group

2 - 5

Play capacity (users)

Color options











The Horse is a hugely inviting springer which attracts and support children's play relentlessly, again and again. The rocking sensation is a great movement response. Movement response is one of the greatest play sensations. Apart from the fun, this adds a feeling of control to the child's play. The responsive movement also trains the

understanding of cause and effect in young children: that actions have an effect on the world. Rocking on the Horse develops the child's sense of balance and space as well as hand and arm muscles when holding tight and pushing your feet hard into the foot support. All of these basic motor skills and muscle training actions help train the child's bodily cognition,

supporting important life skills such as being able to sit still on a chair or navigate traffic securely.



Horse

M172







Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.









Rocking spring

Physical: response to movement increases spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.





Handhold

Physical: the vertical handgrips ensure a firm grip at different heights, necessary for rocking intensely. This trains hand and arm muscles.





Foot support

Physical: a good footrest supports intense rocking. Rocking stimulates the senses of balance and space that are fundamental in managing the world securely. Intense rocking also develops coordination and muscle strength.

Horse

M172



5 Years



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.

| Item no. M17201-01P | | | | | |
|--------------------------|-------------|----------|--|--|--|
| Installation Information | | | | | |
| Max. fall height | | 1'7" | | | |
| Safety surfacing area | | 156ft² | | | |
| Total installation time | | 2.3 | | | |
| Excavation volume | 0. | 25yd³ | | | |
| Concrete volume | | 0yd³ | | | |
| Footing depth (standard) | | 1'6" | | | |
| Shipment weight | | 61lbs | | | |
| Anchoring options | In-ground ✓ | | | | |
| | Surface | ~ | | | |
| Warranty Information | | | | | |
| EcoCore HDPE | Lif | Lifetime | | | |
| Hot dip galvanized steel | Lif | Lifetime | | | |
| Spare Parts Availability | 10 Years | | | | |



Handholds and footrests are made of injection moulded high quality nylon (PA6). PA6 has good wearing and impact strength.



Seat is made of a molded PP insert with an outer soft layer of TPE rubber. TPE rubber has good shock absorption and ensures durable solution.



KOMPAN GreenLine versions are designed with the most environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post-consumer recycled ocean waste.

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present | 0 | 1 | 1 |
| Required | 0 | 1 | 1 |



Springs

Sustainability Data

M172





| Cradle to Gate A1-A3 | Total CO ₂ emission | CO₂e/kg | Recycled materials |
|----------------------|--------------------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| M17201-01P | 63.46 | 2.38 | 48.10 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



M172



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



