

Meeting Point with Bench

PCM703



Item no. PCM703-0902

General Product Information

Dimensions LxWxH	306x132x170 cm
Age group	4+
Play capacity (users)	6
Color options	



A great place to chill! The Meeting point with bench adds that important option to the playground. The design appeals to older children and is based on research insights: when creating a meeting point, for instance for teenagers, it is important to make it relatively transparent, while keeping a feeling of a safe haven too. This is why the Meeting Point with

Bench features openings in its back support: to make sure that people seated can see what or who is approaching. The side panels ensure a feeling of security and comfort, to make people want to stay. The benches on the side of the meeting point adds to the ability of being seated both ways, having a view of the entire playground while meeting with friends or


watching your children play. The Meeting Point with Bench has so much more to it than meets the eye.



Data is subject to change without prior notice.

Meeting Point with Bench

PCM703



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The steps are made of High Pressure Laminate HPL with a thickness 17,8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Steel posts are galvanised inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.

Item no. PCM703-0902	
Installation Information	
Max. fall height	42 cm
Safety surfacing area	20.3 m ²
Total installation time	5.6
Excavation volume	0.11 m ³
Concrete volume	0.04 m ³
Footing depth (standard)	85 cm
Shipment weight	189 kg
Anchoring options	In-ground ✓ Surface ✓



Sustainability Data

PCM703



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
PCM703-0902	338.70	2.63	49.80

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Meeting Point with Bench


PCM703

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



PCM703-0902
*42cm
**170cm
***20.9m²



PCM703-0902

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)