
Agility Trail 8

NRO867









The Agility Trail 8 is a challenge that all 6-12 year olds will want to take on. The variation in climbing, crawling, balancing and meeting activities will make children come back again and again. The combination of overhead and balance activities, swaying nets and ropes offer great play challenges. Climbing or crawling up, down and through the Agility Trail 8 stimulates

agility, balance and coordination. These motor skills are necessary to managing the world securely and achieving physical confidence. The swaying seat points and the horizontal beams are great for meeting and exchanging. The many ropes and their bouncy character make them a constant balance and muscle trainer, even when seated. When climbing

through the Agility Trail 8 children train their cooperation, negotiation and turn-taking skills.





Agility Trail 8

NRO867





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



The teardrop handle has been designed in such a way that it can be used as a handle and a footrest. The shape and diameter of the handle is optimal for kids.



Rem no. N/C007-1001				
Installation Information				
Max. fall height	189 cm			
Safety surfacing area	94.0 m			
Total installation time	26.8			
Excavation volume	2.63 m			
Concrete volume	0.86 m			
Footing depth (standard)	100 cn			
Shipment weight	1,549 kg			
Anchoring options	In-ground 🕶			

Item no NRO867-1001



Full coloured EPDM rubber seats with smooth surface. The seats is are moulded on a hot dip galvanised steel inlay that ensures durable fixation to the rope.



Overhead climbing handles are made of high quality stainless steel. The handles are attached to the upper robinia crossbeam by stainless steel hardware.



Sustainability Data

NRO867





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO867-1001	370.30	0.30	2.50

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000


Agility Trail 8


NRO867



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW Click to see SIDE VIEW