Mini Car

M531





General Product Information

Dimensions LxWxH 103x176x98 cm
Age group 6m+
Play capacity (users) 6
Colour options



The Mini Car signals play loud and clear and attract infants and toddlers again and again. The cute rounded shapes and the vibrant colours attract. And the manipulative steering wheel, gear, and yellow headlight spheres can be handled and turned again and again. The car has three compartments, two of which are relatively open to the front and rear directions.

They both offer ample seating, and the rear also features two tinkering tables. The themes of traffic and cars are well-known to toddlers. They take a starting point in the toddlers' near world and open the scope of going into the wider world. Dramatic play scenarios such as visiting family are played out repeatedly in the Mini Car. This is an important contribution to

the development of language skills and literacy.





Mini Car

M531





Bench Social-Emotional: gathering, cooperating or taking a break from play - all train social skills.











Play sphere

Social-Emotional: can be played from both sides, encouraging cooperation. **Cognitive:** cause and effect understanding. **Creative:** leave a mark and place the spheres at different positions.



Window

Social-Emotional: invites interaction between sides and cooperative play.



Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





Gear shift Social-Emotional: cooperation, turn-taking, sharing. Cognitive: suggests a theme and supports dramatic play, which stimulates languages skills.





Turning wheel

Cognitive: the manipulative item stimulates cause and effect understanding.

Mini Car

M531



5 years

10 years



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



Foot support is made of HPL with a thickness of 17.8mm, which is very high wearing and also includes unique KOMPAN non-skid surface texture.




The handle is made of polypropylene PP, which has excellent impact strength and is suitable for hot climates.

Item no. M53170-3313P			
Installation Information			
Max. fall height	4	5 cm	
Safety surfacing area	17	'.3 m²	
Total installation time		5.6	
Excavation volume	0.	15 m³	
Concrete volume	0.0	00 m³	
Footing depth (standard)	4	2 cm	
Shipment weight	2	15 kg	
Anchoring options	In-ground	~	
	Surface	>	
Warranty Information			
EcoCore HDPE	Lifetime		
Galvanised Steel	Lifetime		
HPL Decks	15 years		



The gear shift is made of PP, which is a durable material.



Handholds are made of injection moulded highquality nylon (PA6) which has good wearing and impact strength.



PE/PP Components

Spare Parts Guarantee

Sustainability Data







Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M53170-3313P	223.84	1.60	55.59


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

M531




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



M53170P *45cm **98cm ***17.3m²





M53170P

Click to see TOP VIEW

Click to see SIDE VIEW