## **Cableway Start Platform**

PCM114321



Item no. PCM114321-0901

General Product Information

Dimensions LxWxH
Age group
4+
Play capacity (users)
Colour options



Large elevated square start platform with capacity for many waiting users. The long runup ramp ensures easy access up to the start area when returning the seat to the next user. The platform is designed to be used for cableways installed on flat surroundings.



## **Cableway Start Platform**

PCM114321







Platform Social-Emotional: Important life skills like courage, self-confidence, consideration and turn-taking are built.



### Slope

Physical: inclined crawling or walking up or down develops the sense of balance and cross coordination. **Social-Emotional:** the inclination makes climbing feel secure, especially for younger children.

# **Cableway Start Platform**



10 years


PCM114321



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. PCM114321-0901			
Installation Information			
Max. fall height	8	8 cm	
Safety surfacing area	23.	.0 m²	
Total installation time		6.8	
Excavation volume	0.2	0.28 m³	
Concrete volume	0.00 m³		
Footing depth (standard)	85 cm		
Shipment weight	230 kg		
Anchoring options	Surface	~	
	In-ground	~	
Warranty Information			
EcoCore HDPE	Lifetime		
Hot dip galvanised steel	Lifetime		
Post	10 years		
PP Decks	10 years		



Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Ramp Deck, HPL



Spare parts guaranteed

# **Sustainability Data**

Cradle to Gate A1-A3

PCM114321-0901

PCM114321



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



#### Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

## mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

#### Publication date: 30. October 2023



www.bureauveritas.dk

BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

360.54

CO2e/kg

kg CO<sub>2</sub>e/kg

2.22

Recycled

materials


%


41.14




PCM114321







\* Max fall height | \*\* Total height



PCM114321

Click to see TOP VIEW