MSC6405






Item no. MSC640500-3717P

#### **General Product Information**

Dimensions LxWxH 731x415x285 cm
Age group 2+
Play capacity (users) 29
Colour options





Ocean and Home along with climbing net and small tower provide lots of scope for both role play and physical play experience. The climbing net binds the two play areas together, attracting all to find their way into the rather unpredictable net pattern. The youngest children can choose the little tower's slide for a way out, while the older ones cope with the

fireman's pole on the core structure. With play going on below, above and across the structure there is space for many play groups.

MSC6405





#### Rock climber

Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the inclination makes climbing feel secure, especially for younger children.











#### Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down guickly.









#### Climbing net

Physical: children develop cross-body coordination and muscle strength. The asymmetry of the net challenges the children's







Cognitive: the binoculars set a tangible theme and thus spur dramatic play. Dramatic play is a great trainer of language and communication skills. Creative: the binoculars can be turned in all directions. Looking through them gives a new perspective on the world.





Physical: crawling trough the possible

play for two or three children.

openings trains spatial awareness. Social-

Emotional: the enclosed space invites social











#### Crawl-through hole

Physical: the hole allows for climbing and crawling through, developing cross coordination, proprioception and spatial awareness. Social-Emotional: cooperation and turn-taking when passing one another. Cognitive: understanding space, shape and measures when seeing if the body can fit through the hole.



Physical: coordination is supported when going down, as well as arm and core muscles. Landing strengthens bone density, which is built for life in early childhood. Social-Emotional: turn-taking and risk-taking. Cognitive: young children develop their understanding of space, speed and distances when gliding down fast.



MSC6405



10 years

10 years







Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.


All floors are made of High-Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.


Curved climbing wall is made of Ekogrip® panel that consist of a 15mm thick PE base with 3 mm top-layer of soft rubber with a non-skid effect.

11011110. WOOD+0000-07171					
Installation Information					
ı	Max. fall height	19	93 cm		
;	Safety surfacing area	47	'.2 m²		
•	Total installation time		30.7		
I	Excavation volume	1.4	47 m³		
(	Concrete volume	0.	00 m³		
I	Footing depth (standard)	g	90 cm		
;	Shipment weight	9	58 kg		
,	Anchoring options	In-ground	•		
		Surface	•		
Warranty Information					
ı	EcoCore HDPE	Lif	etime		
I	Hot dip galvanised steel	Lif	etime		
١	HPL decks	15	years		

Item no. MSC640500-3717P







Climbing nets are made of UV-stabilised PP rope with inner steel cable reinforcement. The rope is induction treated to obtain maximum fixation between steel and rope which provides excellent wear and tear resistance. All rope connectors are made of 100% recyclable PA material.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Ropes & nets

Spare parts guaranteed

# **Sustainability Data**

MSC6405





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
MSC640500-3717P	1,754.62	2.24	54.68

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





MSC6405



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW