M181





Item no. M18110-01P

#### **General Product Information**

Dimensions LxWxH

1'0"x10'3"x3'3"

Age group

2 - 12

Play capacity (users)

Color options

4
















rocked, sensing the movement of the others. This allows for more socializing and more children. There is room enough for a caregiver, too. The seats at the end are big enough for older children as well as adults. The fun thrill of rocking, individually or in pairs or groups, will make children play for longer. Rocking on the Octopus seesaw trains the children's muscles

and motor skills,.e.g. balance and coordination. The Octopus supports development of social-emotional skills like cooperation, consideration and taking turns.



M181







#### Theme

**Cognitive:** suggests a theme and supports dramatic play, which stimulates language and communication skills.







#### Rocking together

**Social-Emotional:** the possibility of rocking together develops cooperation skills and consideration of others when rocking.





#### Foot support

Physical: a good footrest supports intense rocking. Rocking stimulates the senses of balance and space that are fundamental in managing the world securely. Intense rocking also develops coordination and muscle strength.







#### Rocking spring

Physical: response to movement increases spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.






#### landhold

**Physical:** the vertical handgrips ensure a firm grip at different heights, necessary for rocking intensely. This trains hand and arm muscles.

M181









The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.

Item no. M18110-01P Installation Information

ilistaliation illion		
Max. fall height		3'3"
Safety surfacing area	2	72ft²
Total installation time		4.9
Excavation volume	0.5	5yd³
Concrete volume		0yd³
Footing depth (standard)		1'5"
Shipment weight	38	30lbs
Anchoring options	In around	
Andrioning options	In-ground	•
Andrioning options	Surface	,
Warranty Inform	Surface	Ž
ÿ .	Surface ation	etime
Warranty Inform	Surface ation Life	etime
Warranty Inform	Surface ation Life	
Warranty Inform EcoCore HDPE Hot dip galvanized steel	Surface ation Life Life 15 Y	time
Warranty Inform EcoCore HDPE Hot dip galvanized steel HPL platform	Surface Life 15 Y	time ⁄ears

Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.


KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



Handholds and footrests are made of injection moulded high quality nylon (PA6). PA6 has good wearing and impact strength.



The steel support posts are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outside environments and requires low maintenance.



KOMPAN GreenLine versions are designed with the most environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post-consumer recycled ocean waste.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



# **Sustainability Data**





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:


Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023








The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


M181



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW