Mini Goal

FRE3051





Stand alone mini goals offers all kinds of ball & stick games in public settings. W:141 cm. D:55 cm.

Item no. FRE3051-35	517			
General Product Information				
Dimensions LxWxH	141x55x75 cm			
Age group	3+			
Play capacity (users)	-			
Colour options				



Mini Goal

FRE3051





All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.

Item no. FRE3051-3517				
Installation Information				
Max. fall height		0 cm		
Safety surfacing area		0.0 m ²		
Total installation time		1.6		
Excavation volume		0.12 m³		
Concrete volume		0.00 m³		
Footing depth (standard)		68 cm		
Shipment weight		50 kg		
Anchoring options	In-ground	d 🗸		
	Surface	•		
Warranty Information				
HDG post	!	Lifetime		
Spare parts guaranteed	1	0 years		

Sustainability Data

FRE3051





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Sport



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FRE3051-3517	125.59	2.62	49.76

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

FRE3051



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



