



Item no. PCE105531-0903				
General Product Information				
Dimensions LxWxH	321x377x180 cm			
Age group	2 - 5			
Play capacity (users)	9			
Colour options				



Wow! The Coach has a simple and elegant design that is loaded with play. This supports longer playtimes, and encourages families to play outdoors, for health and social benefits. At ground level, the hammock makes a nice gateway to the play. The swaying movement gives a great thrill, especially to young children. The access to the elevated play encourages

physical and social activity for all children. The double slide is especially designed for social interaction, which supports cooperation and turn-taking skills for all. Sliding additionally trains the sense of balance and the trunk stability of the child. This supports the general movement stability. The Coach is designed to enhance play flow, so that children can play

from all sides. This encourages longer playtimes and social interaction through play.









Pipe ladder Physical: cross coordination and eye-hand coordination are supported when children climb the ladder. The climbing also supports leg and arm muscles. Social-Emotional: learning about turn taking and cooperation.





### Platform Social-Emotional: Important life skills like courage, self-confidence, consideration and turn-taking are built.



### Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.



### Hammock

**Physical:** coordination and sense of balance when swaying. **Social-Emotional:** meeting, pushing friends gently back and forth, turntaking. **Cognitive:** for toddlers cause and effect understanding.



### Double slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: invites socializing, supports parent-child and peer-to-peer play. Cognitive: young children train their understanding of space, speed and distances when sliding down quickly.

# Coach

PCE105531





Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The ELEMENTS roofs are made of recyclable PE made from 33% post consumer recycled materials with a minimum wall thickness of 5 mm to ensure high durability in all climates around the world. The steel pipes are hot dip galvanised inside and outside for maximum durability.



Sails of commercial 95 high density PE knitted specially for sun-shade structures. The sails are treated with UV stabilizers to ensure a long lifetime. The sails are supported by a hot dip galvanised steel frame and tightened by stainless steel devices.

Item no. PCE105531-0903					
Installation Information					
Max. fall height	17	3 cm			
Safety surfacing area	38	.3 m²			
Total installation time		13.5			
Excavation volume	0.41 m³				
Concrete volume	0.02 m³				
Footing depth (standard)	90 cm				
Shipment weight	367 kg				
Anchoring options	In-ground 🗸				
	Surface	~			
Warranty Information					
EcoCore HDPE	Lifetime				
Hollow PE parts	10 years				
Post	10 years				
PP Decks	10 years				
Spare parts guaranteed	10 years				



The main posts are made of high quality pregalvanized steel with powder coated top finish. Post tops are closed with caps of UV stabilized nylon (PA6). The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface. All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options.



The slides are available in either molded PE made from 33% recycled post-consumer materials in different colors or in full AISI304 stainless steel with a thickness of 2mm.



All steel activities has a unique surface treatment of hot dip galvanised base and powder coated top fiinsh to provide durable products with long lifetime for all environments.

Elevated activities <b>2</b>	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	2	1	1
Required	1	1	1

CSA Z614 compliant

## **Sustainability Data**

Cradle to Gate A1-A3


PCE105531-0903

PCE105531



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







### Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

**By Bureau Veritas HSE** www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

669.60

CO2e/kg

kg CO<sub>2</sub>e/kg

2.39

Recycled

materials

%

53.99





PCE105531



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

5 / 08/15/2024