

Double Overhead Ladder

FPW213

KOMPAN
Let's play



产品编号 FPW21300-0900

产品信息概览

长宽高尺寸	445x119x240 cm
适用年龄段	8+
容纳人数	4
颜色选择	



The overhead ladder, also known as the monkey bar, may be the most well known of all obstacle course elements. The goal is to get to the other side without using your feet. Training upper body strength and cross body coordination. This overhead ladder is wide and high to ensure anyone can hang and move freely. To make sure that everyone can reach

the overhead ladder there are 4 stepping pods at different heights. As a stand-alone item the Double Overhead Ladder is great to work in group workout. It offers space for 8 people to perform pull up exercises or to attach suspension trainers for a full body workout.

Double Overhead Ladder

FPW213



Overhead ladder

身体素质：发展儿童的上身肌肉和手臂力量、交叉协调能力和空间意识。这一点对久坐不动和腰背疼痛的儿童来说尤为重要。**社交情感：**在高架梯子上相互交流，可以训练合作能力。



Double Overhead Ladder

FPW213



立柱由 $\text{Ø}101.6 \times 2\text{mm}$ 制成，预镀锌碳钢，粉末涂层，可在所有情况下提供出色的保护。



连接器是由压铸铝，适合户外环境和高频率使用。连接的螺丝是不锈钢的，并由锌垫圈保护。



四格台阶为 900×280 毫米，高 171mm。

产品编号 FPW21300-0900

安装信息

最大跌落高度	233 cm
安全面积	40.6 m ²
安装总时长	4.5
开挖量	0.38 m ³
混凝土使用量	0.20 m ³
标准入地深度	90 cm
运输重量	287 kg
固定选项	入地 ✓ 地表 ✓


质保信息

镀锌钢结构	终身质保
立柱	10 年
承保零部件	10 年



Sustainability Data

FPW213



从原材料到成品	CO ₂ 排放总量	CO ₂ 排放量 / 千克	回收的原料
	kg CO ₂ e	kg CO ₂ e/kg	%
FPW21300-0900	316.84	1.95	66.59

这些因素采用的总体框架为环保产品声明 (EPD), 该声明可量化“产品生命周期的环保信息, 并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时, 对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Double Overhead Ladder

FPW213

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



[点击查看俯视图](#)

[点击查看侧面图](#)