PCE211234





Dimensions LxWxH 25'2"x17'11"x11'9"

Age group 2 - 12

Play capacity (users) 17

Color options



Wow! There are so many options for children's play in the Grand Canyon. Children are highly attracted to the structure, and will support longer playtimes for happy, healthy children and families. Graduated challenges and thrills are built in. The rich variation of accesses invites play for all. The rich sliding experiences apart from being great fun also develop

balance skills and trunk stability, important for the ability to sit still. The intentional design of the Grand Canyon supports social play, when turn-taking and cooperating around the slides. The Wackle Bridge is a wonderfully challenging feature, training the sense of balance and space, both important for negotiating space securely. Cooperation and consideration are put to full use, developing the child's social-emotional skills.



PCE211234









Score board

Social-Emotional: teams can each have a button to measure rounds, wins etc. The buttons support cooperation and teamwork. **Cognitive:** counting and registering support skills such as logical thinking and sequencing.





Wackle bridge

Physical: sense of balance and space, and training of posture. Important for being able to sit still. **Social-Emotional:** cooperation, turntaking and friendly competition on the plates.



Rench

Social-Emotional: invites socializing and cooperation. Allows for a break with friends.



Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.



Pipe ladder

Physical: cross coordination and eye-hand coordination are supported when children climb the ladder. The climbing also supports leg and arm muscles. **Social-Emotional:** learning about taking turns and cooperation.



Curved slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.






Climbing pole


Physical: cross coordination and muscle strength are trained. **Social-Emotional:** turntaking and cooperation.

PCE211234





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



The roofs are made of KOMPAN EcoCore™ panels and supported by hot dip galvanized steel pipes.



Shade sails of commercial 95 high density PE knitted specially for sunshade structures. The sails are treated with UV stabilizers to ensure a long lifetime. The sails are supported by a hot dip galvanized steel frame. Closed sail equipped with an easy take down system.



Installation Information Max. fall height 3'10" Safety surfacing area 848ft² Total installation time Excavation volume Concrete volume Footing depth (standard)


Item no.

Shipment weight

Anchoring options Surface

In-ground


Warranty Information				
EcoCore HDPE	Lifetime			
Hollow PE Parts	10 Years			
Post	10 Years			
PP Decks	10 Years			
Spare Parts Availability	10 Years			



The main posts are made of high quality pregalvanized steel with powder coated top finish. Post tops are closed with caps of UV stabilized nylon (PA6). The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface. All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options.



The slides are available in either molded PE in different colors or in full stainless steel AISI304 t= 2mm.



Steel activities are hot dip galvanized and optional with a powder coated top finish.

Elevated activities	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present			
Required			

3 / 03/05/2025 Data is subject to change without prior notice.

Sustainability Data

PCE211234





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

200mm

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





PCE211234



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW