KPL121





Item no. KPL121-0401

General Product Information

Dimensions LxWxH 94x36x66 cm

Age group 1+

Play capacity (users) 2

Colour options









The Double Springer is a whimsical and attractive springer for two. It attracts players, again and again, thanks to the combined play invitation for movement and social interaction. The attraction of rocking together is very much based on the movement response and the opportunity for friendly rough-and-tumble play with a friend. The carved handholds and

inclined foot support invite a seated position with a low handhold. This makes rocking together a fun challenge. Furthermore, the arm and leg muscles get ample use and training. It trains the sense of rhythm and coordination. These are crucial motor skills that help children navigate the world securely, e.g. in the street when estimating time, movement, and objects.

The social dimension and the cooperation with friends train social-emotional life skills such as turn-taking and cooperation. Empathy is trained as well, as players consider others' limits and limitations.





KPL121





Handhold

Physical: opens more hold positions and ensures good grip, necessary for rocking intensely which trains hand and arm muscles.









Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance which are fundamental motor skills.

Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.





Double seating option Social-Emotional: rocking together supports cooperation skills, and physical contact with others is great for children's wellbeing, measurable in lower cortisol levels.



Foot support

Physical: the footrest supports intensive rocking, which stimulates the senses of balance and space, fundamental for managing the world securely.

KPL121










Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.

KOMPAN's springs are manufactured from highquality spring steel. The springs are cleaned by phosphating before being painted with epoxy primer and polyester powder coating. The springs are fixed by unique anti-pinch fittings for maximum safety and longevity. The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.





Straps are made of soft and bendable woven bands. The base material is PP which has good wearing and impact resistance.



The handle is made of polypropylene PP, which has excellent impact strength and is suitable for hot climates.



Sustainability Data

KPL121





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
KPL121-0401	78.67	2.21	52.23


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



*39cm **66cm ***7.5m²



Click to see SIDE VIEW