

Fire Station & Firetruck


PCM52131




The richly varied Fire Station & Firetruck is an all-in-one play offering which will thrill children again and again. The fascinating theme appeals to children and inspires endless play conversations and scenarios of rescue play. This make-believe play is an efficient stimulation of children's vocabulary, imagination and problem solving skills during social play. The firetruck theme spans all

levels and parts of the play combination, with richly varied ground level and elevated level play experiences. On ground level, a wealth of tactile and dramatic play motivators invite play for all abilities, around, in an under the play structure. A soft hammock allows for swaying rest. Several routes lead to elevated level: Climbing wall, net, rungs and an accessible stairway. From the elevated level, a slide and a

highly thrilling Curly Climber offers a well-supported ride back to ground level, with support for both being seated and gripping as the child rotates down to the ground. The rotation and gliding downwards trains the child's spatial awareness and vestibular system, supporting important movement skills that will help children master space.

Item no. PCM52131-0901	
General Product Information	
Dimensions LxWxH	622x568x368 cm
Age group	2 - 5
Play capacity (users)	28
Colour options	



Fire Station & Firetruck

PCM52131



Bell

Cognitive: understanding cause and effect when ringing bell. **Creative:** leaving a mark in creating a sound rhythm when ringing or knocking the bell.




Phone

Cognitive: spurs dramatic play with its tangible theme, which supports language and communication skills. **Creative:** the phone can be placed or left hanging in the rope, allowing children to leave their own mark.




Curved slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** empathy stimulated by turn-taking.



Turning wheel

Cognitive: when turning the wheel different visuality will appear, which supports the understanding of cause-and-effect and evoke curiosity. **Creative:** the wheel can be turned and left in different positions, allowing the children to leave their own mark.



Rock climber

Physical: supports cross coordination and leg, arm and hand strength. **Social-Emotional:** the inclination makes climbing feel secure, especially for younger children.



Curly climber

Physical: coordination and proprioception are supported when placing arms and legs correctly for going down. Sense of balance when rotating. Arm muscles for holding tight. **Social-Emotional:** empathy stimulated by turn-taking. **Cognitive:** logical thinking when placing arms and legs right for rotating downwards.



Hammock

Physical: coordination and sense of balance when swaying. **Social-Emotional:** meeting, pushing friends gently back and forth, turn-taking.

Fire Station & Firetruck

PCM52131



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.




Main posts with hot dip galvanized steel footing are available in different materials: Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. TexMade posts of 95% post-consumer recycled PE and textile waste.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.

Item no. PCM52131-0901	
Installation Information	
Max. fall height	205 cm
Safety surfacing area	64.4 m²
Total installation time	46.0
Excavation volume	1.07 m³
Concrete volume	0.04 m³
Footing depth (standard)	90 cm
Shipment weight	1,431 kg
Anchoring options	Surface ✓ In-ground ✓
Warranty Information	
EcoCore HDPE	Lifetime
Hollow PE parts	10 years
Post	10 years
PP Decks	10 years
Spare parts guaranteed	10 years



The slides can be chosen in six different colors and three materials: Straight or curved one-piece molded PE slides, made from 33% recycled post-consumer materials in different colours. Combined EcoCore™ sides and stainless-steel. Full stainless steel in one piece design for more vandalism proof solutions.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor. TexMade post, EcoCore™ panels of 95% post-consumer recycled waste and molded PP decks.

Elevated activities	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present			
Required			

Sustainability Data

PCM52131



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
PCM52131-0901	1,687.78	1.67	71.88

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



Fire Station & Firetruck

PCM52131

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)