M128





Item no. M12871-01P

General Product Information

Dimensions LxWxH 100x100x62 cm

Age group 1+

Play capacity (users) 4

Color options









WOW it's play for toddlers. The youngest get thrilled by the social and physical potential of the Crazy Daisy: 1, 2, 3 or 4 children can seesaw, play and cooperate. This makes this a highly versatile play unit, taking up little space and appealing to toddlers again and again. Apart from being great play, the Crazy Daisy supports fundamental areas of child

development and learning through play:
Important motor skills such as balance and
proprioception get trained when children rock,
pushing their feet and pulling their arms. These
are fundamental to life skills such as for
instance managing traffic securely. While
rocking together, toddlers additionally train
important social-emotional skills such as

cooperation. The logic of movement sequence trains the child's thinking skills. The Crazy Daisy is true playful learning.





M128







Rocking together Social-Emotional: the possibility of rocking two together trains cooperation skills. Consideration of others when rocking.







Handhold

Physical: the vertical handgrips ensure a firm grip at different heights, necessary for rocking intensely. This trains hand and arm muscles.







Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.



Foot support

Physical: the possibility of footrest supports intensive rocking. Rocking stimulates the senses of balance and space that are fundamental in managing the world securely.

M128





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.




KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.


| Item no. M12871-01P | | | |
|--------------------------|-----------|----------|--|
| Installation Information | | | |
| Max. fall height | | 60 cm | |
| Safety surfacing area | | 9.6 m² | |
| Total installation time | | 1.5 | |
| Excavation volume | (|).19 m³ | |
| Concrete volume | (| 0.00 m³ | |
| Footing depth (standard) | | 45 cm | |
| Shipment weight | | 53 kg | |
| Anchoring options | In-ground | ' | |
| | Surface | ~ | |
| | | | |



The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime. The springs have a PUR insert for stabilizing the spring.



Handles are made of high-quality nylon (PA6), which requires low maintenance.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.



Sustainability Data

M128





| Cradle to Gate A1-A3 | Total CO ₂ emission | CO₂e/kg | Recycled materials |
|----------------------|--------------------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| M12871-01P | 127.93 | 2.62 | 27.00 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

200ml

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



M12871 *60cm **62cm ***9.6m²



Click to see TOP VIEW

Click to see SIDE VIEW