Dustbin 60 L

KPL205





Part of the classic designed park furniture assortment made of low maintenance materials.

Item no. KPL205-0901

General Product Information

Dimensions LxWxH

53x36x74 cm

Age group

Play capacity (users)

Color options



Dustbin 60 L

KPL205



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance.



Item no. KPL205-0901			
Installation Information			
Max. fall height	0 cm		
Safety surfacing area	0.0 m ²		
Total installation time	0.8		
Excavation volume	0.03 m ³		
Concrete volume	0.00 m ³		
Footing depth (standard)	90 cm		
Shipment weight	27 kg		
Anchoring options	In-ground 🗸		
Warranty Information			
Hot dip galvanised steel	Lifetime		
PE/PP components	5 years		
Spare parts guaranteed	10 years		

Sustainability Data

KPL205






Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
KPL205-0901	54.97	2.49	29.49

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


Dustbin 60 L

KPL205




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



KPL205 **120cm



Click to see TOP VIEW

Click to see SIDE VIEW