SW990026



General Product Information

Dimensions LxWxH 62x31x0 cm
Age group 1+
Play capacity (users) 1
Colour options









SWING MODULE 3PP CRADLE SEAT H:2.5m SS CHAINS





SW990026












Cradle seat

Physical: balance, coordination and spatial awareness are developed when swinging. These are necessary skills for judging distances and navigating. Social-Emotional: the rhythmic movement can have a calming effect on young children. Cognitive: understanding of cause and effect.



SW990026







The seats are available with swing chains of either hot dip galvanised steel or stainless steel for all swings heights.



Item no. SW990026-00			
Installation Information			
Max. fall height	145 cm		
Safety surfacing area	13.9 m²		
Total installation time	0.2		
Excavation volume	0.00 m³		
Concrete volume	0.00 m³		
Footing depth (standard)	0 cm		
Shipment weight	9 kg		
Anchoring options			
Warranty Information			
Chains	10 years		
EPDM components	2 years		
Spare parts guaranteed	10 years		



Sustainability Data

SW990026





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
SW990026-00	24.39	2.95	21.82

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





SW990026 1:100

Click to see TOP VIEW

Click to see SIDE VIEW