NRO514





General Product Information

Dimensions LxWxH 145x332x250 cm
Age group 2+
Play capacity (users) 8



Colour options







This little boat is a wonderful role play setting for hours of imaginative play. The boat theme encourage hours of play, uniting children around a hugely popular role play theme, sailing off into unknown land. The seat in the rear and the rotatable steering wheel add to imagination and the binoculars add to the tactile, rotating elements of the boat. These

elements, apart from offering response and variety in tactile stimulation, evoke the sense of wonder sparking imagination and dramatic play. Dramatic play and role play function as children's way of negotiating through experiences they don't fully understand or that fascinate them. When doing so, they train their communication, turn-taking and language skills

which help children avoid physical conflict. Eventually it will stimulate the ability to form friendships.





NRO514







### Steering wheel

Cognitive: the manipulative steering wheel invites dramatic play which supports language and communication skills.





Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





Open space in front Social-Emotional: the bench along the keel is a great space for meeting and exchanging.







### **Binoculars**

Cognitive: the binoculars set a tangible theme and thus spur dramatic play. Dramatic play is a great trainer of language and communication skills. Creative: the binoculars can be turned in all directions. Looking through them gives a new perspective on the world.





Social-Emotional: the bench is big enough for two and makes a nice meeting point. Sitting closely together with friends is good for children's social skills and well-being.

**NRO514** 



100 cm

23.0 m<sup>2</sup>

1.34 m<sup>3</sup>

0.00 m<sup>3</sup>

100 cm

704 kg

12.6



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.

## Anchoring options In-ground

Item no. NRO514-1021
Installation Information

Max. fall height

Safety surfacing area

Total installation time

Footing depth (standard)

Excavation volume

Concrete volume

Shipment weight

# Warranty Information Robinia wood 15 years Ropes & nets 10 years Spare parts guaranteed 10 years Stainless steel Lifetime components Stainless steel Lifetime components



The forest lake boat is available with a deck of Robinia wood or without a deck. The version without deck is tailored for rubber surfacing where the colour and theme of the surfacing is visible inside the boat.



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The Robinia wood can be supplied as untreated raw wood, painted with a brown coloured transparent pigment that maintains the golden wood colour or in a coloured version where selected components are painted in different colours.



# **Sustainability Data**

NRO514





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO514-1021	115.68	0.18	1.15


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



NRO514 \*100cm \*\*250cm \*\*\*23m<sup>2</sup>



Click to see TOP VIEW

Click to see SIDE VIEW