Square Edging 14x14x200, 2m

NRO521



Item no. NRO521-0001	
General Product Informati	on
Dimensions LxWxH	200x14x14 cm
Age group	1+
Play capacity (users)	-
Color options	



Square Edging, 14x14x200, 2m. The post can also be used as fallzone boundary for surfacing materials like wood chips.





Data is subject to change without prior notice.



NRO521






Balance beam

Physical: trains the sense of balance, fundamental for all other motor skills that makes it possible to navigate the world confidently and securely. Social-Emotional: turn-taking skills and negotiation when crossing each other on the beam. Room for a seated rest and exchange.



Square Edging 14x14x200, 2m





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450). Robinia products are available in three different wood treatment options: Untreated Robinia wood or brown painted with a pigment that maintains the wood colour and coloured version

with paint of selected components.

Item no. NRO521-0001		
Installation Information		
Max. fall height		0 cm
Safety surfacing area		0.0 m²
Total installation time		0.4
Excavation volume		0.00 m³
Concrete volume		0.00 m³
Footing depth (standard)		0 cm
Shipment weight		37 kg
Anchoring options	Surface	~
Warranty Information		
Robinia wood	1	5 years
Spare parts guaranteed	1	0 years





Sustainability Data

Cradle to Gate A1-A3

NRO521-0001

NRO521



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



as HSE itas.dk 1 1000 VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

2.97

CO2e/kg

kg CO₂e/kg

0.10

Recycled

materials

%

0.00




NRO521

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height



NRO521



Click to see TOP VIEW

Click to see SIDE VIEW

5 / 10/11/2024