NRO3003





Item no. NRO3003-1021


General Product Information

Dimensions LxWxH 31'5"x16'1"x13'8"

Age group 5 - 12

Play capacity (users) 25

Color options



The wildly thrilling Cliff Rider hugely attracts school age children with its repeated loops of action. Under the platform, a swaying hammock invites a break. The intensely thrilling ride high up in the air, on a small footrest, is for the courageous. And those who aren't at the first go, get there with a little help from their friends. Till then, there is ample climbing and

gliding on the Climbing Net, Somersault Bar, Climbing Rope and the Fireman's Pole. The Cliff Rider trains muscle force, tension, timing and sequencing of movements. Judging your body's movements, object control as well as timing is quite a complex tax, but a necessary life skill that makes it possible to navigate the body securely and confidently through

environments, e.g. street traffic. Furthermore, the self-confidence that children gain from overcoming their initial hesitations to travel on the Cliff Rider, is the more reason that they should.



NRO3003









Rapella

Physical: supports cross coordination, proprioception and sense of space. Leg and core muscles are used intensely. Upper body muscles are developed when children pull themselves upwards in the rope. Social-Emotional: turn-taking and self-regulation. both important life skills.











Social-Emotional: cooperation skills and taking turns are developed when turning the gearing wheel. Cognitive: cause and effect understanding, and logical thinking are supported.



Fireman's pole

Physical: coordination is supported when going down, as well as arm and core muscles. Landing strengthens bone density, which is built for life in early childhood. Social-Emotional: turn-taking and risk-taking.



skills.



Physical: pushing with the feet and pushing

and pulling with the arms train major muscles.

The force of movement needs to be calibrated

sequence of movements train proprioception

for a smooth ride to the other side, which

and coordination skills that build physical confidence in children. Social-Emotional: supports cooperating, turn-taking skills and empathy. Stepping into the open air builds courage. Cognitive: the force and coordination of movements add to childrens' confidence and teach them important life

trains proprioception. Timing, force and









Physical: coordination and sense of balance when swaying. Social-Emotional: meeting, pushing friends gently back and forth, turn-



Boarding net

Physical: the inclined net supports the upward climbing movement of the body. Cross coordination and physical strength are trained. The asymmetry of the net challenges the children's climbing.







Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.

NRO3003





The pole vaulter pole is made of a welded steel construction with a 360° standing platform of Ekogrip. The double sided curved handles are made of EcoCore material. The pole combines superior ergonomics with outstanding functionality.



The rocking movement back and forth is controlled by a heavy duty scaled double rubber torsion spring element. The rubber element ensures a safe movement and reduces speed towards the tower platforms. The base cover of molded PE material with high impact resistance.



The Robinia products are designed with a KOMPAN color concept with a number of different standard colors. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood color.



Installation Information				
Max. fall height		8'6'		
Safety surfacing area	79	90ft²		
Total installation time	Į	55.2		
Excavation volume	5.02	2yd ³		
Concrete volume	2.03	3yd ⁵		
Footing depth (standard)		3'3'		
Shipment weight	500	5lbs		
Anchoring options	In-ground	~		

Item no. NRO3003-1021


Warranty Information				
EcoCore HDPE	Lifetime			
Hot dip galvanized steel	Lifetime			
Robinia Wood	10 Years			
Spare Parts Availability	10 Years			
Stainless steel slide	10 Years			



The curved start platforms are made of a curved stainless steel plate with non skid texture. The lower part of the platform is supported by a EcoCore board for safe foothold and the rubber bumper is placed to receive the pole.



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for colored components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.

Elevated activities 5	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	3	2	2
Required	3	2	2

ASTM F1487 compliant

Sustainability Data

NRO3003





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO3003-1021	1,090.25	0.56	11.28

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





NRO3003



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW