Explorer Ship, Medium


NRO542





General Product Information

Dimensions LxWxH 622x961x581 cm
Age group 4+
Play capacity (users) 37
Color options



The Explorer ship is a magnet for children's play, attracting play again and again with its immensely varied play offering, above and below deck. The boar-ding options are endless, with planks that can be climbed vertically, nets and climbing cleats. This all trains cross-coordination and muscles. The many manipulative activities: binoculars, cannons,

the wheel stimulate tactillty and fine motor skills and inspire hours of dramatic play. Apart from being great fun, it supports children's cognitive development and social-emotional skills. In addition to dramatic play, children develop their physical skills. Once up on deck, the children can take more ways across or down. The slide tickles the stomach and adds thrill. Additionally,

it trains children's sense of space. So play has huge benefits in the ship.



Explorer Ship, Medium

NRO542





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmentally friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.



Installation Information	
x. fall height	268 cm
fety surfacing area	82.1 m²
al installation time	64.1
cavation volume	8.24 m ³

Item no. NRO542-1021

Concrete volume 3.70 m³ Footing depth (standard) 100 cm

Shipment weight 4,194 kg
Anchoring options In-ground ✓



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.



Sustainability Data

NRO542





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO542-1021	2,310.80	0.70	2.30

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Explorer Ship, Medium


NRO542



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW