
NRO610









The Robinia Play & Learn Blackboard is a great creativity attractor, that children return to again and again. It appeals to children's dramatic play, e.g. playing school. It also stimulates creativity in drawing. Due to the two sides of the blackboard bigger groups can draw together, e.g. in an outdoor classroom. The richness in tactile detail with acabus, clock, bell

and number board train the fine motor skills and hand-eye coordination. The clock stimulates the understanding of time and measures. The clock makes it possible to leave a mark with sound, which trains the logical thinking skills of the youngest. The clock and bell are used intensely in dramatic play in play tests. The number board inspired play-

counting. Drawing and play-writing were essential parts of the blackboard play. Playschool games are known to stimulate children's interest in learning and readiness for school.





NRO610










Clock and bell panel

Cognitive: understanding cause and effect when ringing bell, learning about numeracy and time in a tangible way. Creative: leaving a mark in creating new positions on clock or with sound creating a rhythm when ringing or knocking the bell.







Abacus

Cognitive: supports understanding of





Number panel

Cognitive: stimulates understanding of numeracy and mathematics.







Blackboard

Social-Emotional: the two sides and width of the blackboard caters for groups of children cooperating and sharing ideas. Creative: drawing and leaving your mark stimulates creative thinking.

NRO610





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



Play activities in very strong materials: HDPEplate with HDPE-clock and hands in conveyer belt rubber, bell in pressed aluminium. Mirror in plexi-glass with a high impact resistant.

Item no. NRO610-1021

Installation Information				
Max. fall height	0	cm		
Safety surfacing area	12.7	' m²		
Total installation time	5.3 hc	ours		
Excavation volume	0.25	m³		
Concrete volume	0.00) m³		
Footing depth (standard)	100	cm		
Shipment weight	246	s kg		
Anchoring options	In-ground	~		

warranty information				
Ro	binia wood	15 years		
Ro	pes & nets	10 years		
Spa	are parts guaranteed	10 years		
	inless steel nponents	Lifetime		
	inless steel nponents	Lifetime		



Environment friendly material: Numbers & letters plate and clock/bell plate are made of 19mm the abacus be EcoCore™. EcoCore™ is a highly durable, ecofriendly material, which is not only recyclable after use, but is also made of +95% recycled post-consumer material from e.g., food packing waste in both core and colorful outer layer.



The shafts for abacus are in stainless steel and the abacus beads are injection-moulded nylon (PA). The 2-sided black chalkboard is in ceramic steel



3 / 06/28/2025 Data is subject to change without prior notice.

Sustainability Data

NRO610





Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg Recycled materials	
	kg CO₂e	kg CO₂e/kg	%
NRO610-1021	136.12	0.69	26.21

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000









* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW