Basketball Goal (Freestanding, Reinforced Net)

KOMPAN

FRE3022



Item no. FRE3022-3717	
General Product Information	
Dimensions LxWxH	0x0x368 cm
Age group	3+
Play capacity (users)	-
Colour options	

A basketball goal can be used by only one person, two or a whole group simultaneously. Here everyone can join in and it's easy to walk to and from the game.



Basketball Goal (Freestanding, Reinforced Net)



FRE3022



Panels of 19mm EcoCore[™] HDPE. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.

The basketball hoop is made from hot dipped galvanized steel with a powder coated finish. The net is made from KOMPAN Ø5 PA Rope

reinforced with steel wire. The net has a

~Ø50cm at the top.

circumference of ~Ø30cm at the bottom and

All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.

Item no. FRE3022	-3717	
Installation Information		
Max. fall height	0 c	m
Safety surfacing area	0.0 n	n²
Total installation time	2	.9
Excavation volume	0.32 n	n³
Concrete volume	0.21 n	n³
Footing depth (standard)	90 c	m
Shipment weight	192 k	g
Anchoring options	In-ground	~

Warranty Information	
EcoCore HDPE	Lifetime
HDG post	Lifetime
Ropes & nets	10 years
Spare parts guaranteed	10 years



Sustainability Data

Cradle to Gate A1-A3

FRE3022-3717

FRE3022



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO_2 calculation of: Sport



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

273.97

CO2e/kg

kg CO₂e/kg

2.30

Recycled

materials

%

56.19





FRE3022

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

Click to see TOP VIEW

Click to see SIDE VIEW