



# Triple Somersault

NRO809



Item no. NRO809-1001	
<b>General Product Information</b>	
Dimensions LxWxH	11'0"x2'4"x4'11"
Age group	5 - 12
Play capacity (users)	3
Color options	 



The Triple Somersault Bars are great old school playground favorites. They are irresistible to children and their parents. The Triple Somersault encourages cooperation and sharing, in two varied heights. They accommodate more users and different age and ability levels. The Triple Somersault caters for a range of play activities, such as hanging and

swaying, training upper body muscles. Sitting on the bars with friends enables sharing, using social-emotional skills. Somersaulting on the Triple Somersault trains children's proprioception: the awareness of where body parts are and how to coordinate movements to fit a space. It trains the senses of space and balance, too, enabling the child to navigate the

surroundings securely. Last, but not least, it is great training of major muscles.



# Triple Somersault

NRO809



## Somersault bar

**Physical:** develop balance and core when hanging from knees. Arm, leg and core muscles are developed when climbing up, somersaulting around. Balance and spatial awareness are strengthened. **Social-Emotional:** meeting, socializing and turn-taking when climbing up and down via bar.



# Triple Somersault

NRO809



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

The turnbars are made of high-quality stainless steel to ensure durability of the product.

The Robinia wood can be supplied as untreated raw wood or painted with a brown colored transparent pigment that maintains the golden wood color of the wood.



Item no. NRO809-1001	
Installation Information	
Max. fall height	3'8"
Safety surfacing area	258ft <sup>2</sup>
Total installation time	3.4
Excavation volume	0.37yd <sup>3</sup>
Concrete volume	0.07yd <sup>3</sup>
Footing depth (standard)	3'3"
Shipment weight	348lbs
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Robinia Wood	10 Years
Spare Parts Availability	10 Years
Stainless steel components	Lifetime
Stainless steel components	Lifetime

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



# Sustainability Data

NRO809



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
NRO809-1001	46.38	0.34	2.16

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

**By Bureau Veritas HSE**  
www.bureauveritas.dk  
+45 7731 1000




# Triple Somersault


NRO809

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



NRO809  
\* 4'-11" / 150cm  
\*\* 4'-11" / 150cm  
\*\*\*258.3ft<sup>2</sup> / 24m<sup>2</sup>



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)