PCT804





The circular shaped, cool-colored, gently swaying hangout pods of the FunPoint, Hangout attract younger children and tweens alike. With their soft membrane swaying seats that have room for more children seated or hanging in each seat, the hangout pods have children come back to play and exchange again and again. The swaying movements,

apart from being pleasant, also train the sense of space and balance when children rock mildly – or wildly – back and forth. The soothing movements make for longer meetings and conversations with friends, negotiating and turn-taking who is to sit or hang where next. The meeting point character also makes the FunPoint, Hangout perfect as a point to retract

to in the play area.



General Product Information

Dimensions LxWxH 499x438x320 cm
Age group 2 - 12
Play capacity (users) 6
Colour options





















Hangout pod


Physical: sitting and lying enjoying the swaying movements stimulate the sense of balance. Social-Emotional: meeting, taking a break is invited. Turn-taking supports the skills necessary to learn how to avoid conflicts.



PCT804




10 years



Hangout pod designed with a welded frame of two steel rings which are hot dip galvanized and powder coated. The membrane consist of friction-proof rubberized material of conveyor belt quality with excellent UV resistance.



Powder coated post are made of high quality pre galvanized steel with powder coated top finish. Post tops are closed with caps of UV stabilized nylon (PA6).



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. PCT804-0901					
Installation Information					
Max. fall height		34 cm			
Safety surfacing area	5	0.9 m²			
Total installation time		10.1			
Excavation volume	3	.01 m³			
Concrete volume	0	.00 m³			
Footing depth (standard)	90 cm				
Shipment weight	4	451 kg			
Anchoring options	In-ground	•			
	Surface	•			
Warranty Information					
Hot dip galvanised steel	Lifetime				
Membrane	2 years				
Painted toplayer	10 years				

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	3	1
Required	0	2	1

CSA Z614 compliant

Spare parts guaranteed

Sustainability Data

PCT804





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCT804-0901	834.68	2.49	47.74

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Some

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000









* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW