


PlayBox™, Outdoor, M47 Mirrored

PBO300302



Item no. PBO300302-0002	
General Product Information	
Dimensions LxWxH	414x476x462 cm
Age group	3+
Play capacity (users)	18
Color options	



The enormous enclosed Outdoor PlayBox offers overwhelmingly amounts of varied fun play as children meander across levels and platforms, discovering new play challenges and enjoying the open play climbs across levels. The various play opportunities provide children with muscle and motor skill training as well as lots of social connection and cognitive stimuli. The circular opening invites children into the ground level of the structure, which has a spacious mid area with two lovely horizontal rollers that offer tactile and balance play. At

one wall an exploratory play panel invites individual or small group play, at another a mirror spurs individual or small group activity, and at the opposite side, a strap covered opening leads to the slide mouth. This allows the sliding children to loop back up for another slide. This happens via the rope climb with triangle seats. This thrilling access to the next level ensures that toddlers don't get up to the higher levels and the wild rotations of the tall slide, which apart from being a main thrill, also trains muscle and motor skills. On the next

level, rope play is combined with a fun tunnel. Both span two levels and allows for children to climb up as well as down. On the highest level, the wild tall slide awaits and leads back to ground level and another loop of intense active play. Children have a choice of going straight up to the wild slide via climbing ropes with membranes, or varying the play action on the various levels. All in all there is abundances of heavy-duty fun physical exercise and togetherness offered in the PBO300302.

Data is subject to change without prior notice.

PlayBox™, Outdoor, M47 Mirrored

PBO300302

KOMPAN®



HDPE steps

Physical: climbing the step trains cross coordination and develops the sense of balance, which is fundamental in navigating the world securely.



Climbing tube

Physical: the children crawl through the tunnel, developing motor skills such as cross-body coordination and proprioception.
Social-Emotional: turn-taking when passing each other.



Rope with ufos

Physical: the UFOs allow for both seated and standing swaying, climbing and turning. The sense of balance is developed when swaying. Climbing up strengthens arm and leg muscles.



High spiral tube slide

Physical: sliding supports spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** thrill when going down fast. Empathy stimulated by turn-taking.



Roller horizontal

Physical: The Horizontal Roll challenges children's balance and coordination as they crawl, push or roll over them. It is a full-body coordination challenge that develops muscle and motor skills. **Social-Emotional:** socializing and turn-taking when deciding who should go next.



Tri membrane

Physical: the bouncy membrane develops the sense of balance when the child stands, steps or sits here. **Social-Emotional:** great point for a break or meeting with friends.



Goose

Social-Emotional: communication and cooperation exploring the routes with friends.
Creative: leave a mark and place the spheres at different positions

PlayBox™, Outdoor, M47 Mirrored

PBO300302




Our panels are made from HPL or PC, offering excellent resistance to vandalism and wear. With high UV protection for outdoor use, they retain their appearance and play value over time.



Children should be free to play without restraints; safety remains our top priority. All soft play elements are designed to meet the highest global standards and regulations for materials.



Blow molded decks in PP material with non-skid surface texture, climbing handholds and multiple attachment options for play activities.



Pre-galvanized steel tubes with a powder-coated finish ensure exceptional lifetime and low maintenance over time.



UV-stabilized PES polyester rope with EcoYarn™ of 95% post consumer recycled material.



Our slides are made from durable polyethylene. Thanks to our expertise in rotational molding, they are designed to be both safe and enjoyable, delivering a smooth, fast ride for all ages.

Item no. PBO300302-0002	
Installation Information	
Max. fall height	100 cm
Safety surfacing area	0.0 m²
Total installation time	85.8 hours
Excavation volume	0.00 m³
Concrete volume	0.00 m³
Footing depth (standard)	0 cm
Shipment weight	1,454 kg
Anchoring options	Surface ✓
Warranty Information	
PP Decks	10 years
Ropes & nets	10 years
HPL Panels	5 years
Soft Activities	5 years
Spare parts guaranteed	10 years

**EN
1176**
compliant



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled material
	kg CO ₂ e	kg CO ₂ e/kg	%
PBO300302-0002	6,060.16	4.64	22.52

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Independent review certificate

Kompan A/S
C. F. Tietgens Blvd. 32C, 5220 Odense SØ

Bureau Veritas hereby attests that the CO₂e-calculations (covering materials, processing, waste and transport) done by Kompan for "Play Systems", meet the requirements set by the listed standard.

Kompan A/S uses a selection of EPDs and emission factors from the Life Cycle Assessment database Ecoinvent 3.11. These values are reported as kg CO₂e, with all other impact categories excluded in line with the scope of ISO 14067:2018. The emission factors cover, material use, manufacturing processes, transport to Kompan, and electricity used during manufacturing. The presented emissions fall under GHG Protocol scope 3 emissions. Scope 1 and 2 are not presented. Scope 3 emissions include emission sources in the upstream value chain of a company, downstream emissions are excluded in this analysis.

Method: ISO 14067:2018 using GHG protocol guidance documents, reported as kg CO₂e.

Object

The verification has been done on the one pager "PCM310921-0905" version: 27-10-2025. The supporting documentation "KOMPAN data_updated emissions factors_2025_V2" and "Emissions factors, EPD's and ecoinvent 3.11_2025" was also reviewed and approved.

Declaration

The verification has been completed as a critical review with a limited assurance. I hereby confirm that nothing has come to the reviewer's attention which would lead to conclude that the study does not give an accurate depiction or isn't completed following method of the CO₂e calculation, the requirements of ISO 14067:2018, and 14071:2024, in the above referenced documentation.

Note: This verification only covers calculation elements according to method described in ISO 14067:2018 and may not be seen as a Life Cycle Assessment according to ISO 14067:2018.

Ref.: Kompan_Verification report 2025, 28-10-2025
Date of certificate: 29-10-2025
Expire date: 29-10-2027

Verified by: Julie Marie Vejsgaard Larsen, Environmental Auditor

Signature: 

PlayBox™, Outdoor, M47 Mirrored

PBO300302



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)