PCM102931





Item no. PCM102931-0901

General Product Information

Dimensions LxWxH 332x304x410 cm
Age group 2 - 5
Play capacity (users) 12
Colour options















A lot of play in little space: the Castle Spire Tower will inspire young children to play actively and imaginatively, climbing to the top and sliding to the ground, again and again. The climber access provides an age-appropriate challenge to strengthen muscles and help develop cross-coordination skills. This enhances children's abilities to use both sides

of their brain and supports the internal structures that enable reading and thinking. On the platform, a balcony invites to a view of the playground, adding a feeling of thrilling height. Sliding is also immensely thrilling. It also supports posture and balance, important skills for young children as they grow. They are the foundation for all other physical skills and build

up confidence to navigate the world securely. The play inspires dramatic play with castle and treasure themes. The treasure box under deck is a popular place to store things. For young children this stimulates the understanding of object permanence: that things can exist even if they are out of sight.

PCM102931







Cannon

Cognitive: the cannon set a tangible theme and thus spur dramatic play. Dramatic play supports language and communication skills.







Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





Treasure box

Cognitive: object permanence: hiding objects and finding them again. Spurs exploration and dramatic play, stimulating conversations.



Desk

Social-Emotional: fine meeting place and a space creator. Sharing and cooperation from both sides create a social scenario that supports communication and cooperation.





Physical: sliding develops spatial awareness

and a sense of balance. Furthermore, the core

muscles are trained when sitting upright going down. **Social-Emotional**: empathy stimulated

develop their understanding of space, speed

by turn-taking. Cognitive: young children

and distances when sliding down quickly.











Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.

PCM102931



10 years



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Main posts with hot dip galvanised steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanised inside and outside with powder coated top finish steel posts. Lead free aluminium with colour anodised top finish.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.

Item no. PCM102931-0901				
Installation Information				
Max. fall height	1	193 cm		
Safety surfacing area	3	35.2 m²		
Total installation time		16.6		
Excavation volume	0).92 m³		
Concrete volume	0).38 m³		
Footing depth (standard)		90 cm		
Shipment weight		506 kg		
Anchoring options	In-ground	~		
	Surface	~		
Warranty Information				
EcoCore HDPE	L	ifetime		
Post	10) years		
PP Decks	10 years			



The slides can be chosen in different materials and colours: Straight or curved moulded PE slides in yellow or grey colour. Full stainless steel in on-piece design for more vandalism proof solutions.



KOMPAN Play Systems can be customised to match individual demands. Visit the products at www.KOMPAN.com for options with the digital KOMPAN Solution Planner. Multiple options for panels, decks, posts, slides and other play activities ensure durable solutions in any outdoor environment.

Elevated activities 4	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	2	0	0
Required	2	1	1

CSA Z614 compliant

Spare parts guaranteed

Sustainability Data

PCM102931





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM102931-0901	816.77	2.27	59.97


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mase

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000 VE


PCM102931



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW