PCM516





Item no. PCM51621-0601

General Product Information


Dimensions LxWxH 185x104x123 cm Age group 2 - 5

Play capacity (users)

Colour options







the back, all supporting social play and negotiation of turn-taking. Rocking with friends is highly attractive and will inspire children to come back again and again. The rocking movements train the arm and leg muscles, pushing and pulling the Mars Rover into movement. Additionally, rocking trains the children's sense of balance. This is a

fundamental skill which helps the child navigate the world confidently and securely.



PCM516








Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.









Social-Emotional: peep-holes and two sided activities support cooperation, turn-taking and social play skills. Cognitive: understanding object permanence, that items still exist even though they disappear out of sight is what children train when they shift things through holes. The soft rubber adds tactile variation and cause and effect understanding.











Play sphere

Social-Emotional: can be played from both sides, encouraging cooperation. Cognitive: cause and effect understanding. Creative: leave a mark and place the spheres at different positions.





Mars Rover bed

Social-Emotional: the Mars rover bed allows for more children to be together and share. Important life skills like consideration and turntaking are built.







Gear shift

Social-Emotional: cooperation, turn-taking, sharing. Cognitive: suggests a theme and supports dramatic play, which stimulates languages skills.

PCM516



10 years

10 years

5 years



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.




KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime. The springs have a PUR insert for stabilizing the spring.


Item no. PCM51621-0601				
Installation Information				
Max. fall height		70 cm		
Safety surfacing area	2	3.0 m ²		
Total installation time		7.4		
Excavation volume	0	.79 m³		
Concrete volume	0	.00 m³		
Footing depth (standard)		60 cm		
Shipment weight	;	276 kg		
Anchoring options	In-ground	•		
	Surface	~		
Warranty Information				
EcoCore HDPE	L	ifetime		
HPL platform	15 years			



Gear shift is made of PP. PP has good wearing and impact resistance.



All floors are made of High Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	0	0

CSA Z614 compliant

PUR components

Springs

Spare parts guaranteed

Sustainability Data

PCM516





Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg Recycled materials	
	kg CO₂e	kg CO₂e/kg	%
PCM51621-0601	429.41	2.22	44.56

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000


PCM516



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW