NRO519





General Product Information

Dimensions LxWxH
Age group

2 - 5

0'7"x1'6"x3'7"

Play capacity (users)

Color options













This Gas pump 2 is great for any tricycle track or traffic play theme. It will appeal to role play around the themes of driving and traffic, which is always a great imagination starter for the child. This will be an inviting that adds play time. The Gas Pump is made of rubber and the handles are quite detailed with a combination of red, green and yellow buttons for choosing

the right octane gas. The variety of materials stimulates fine motor skills and tactile sense, especially for the youngest children. The dramatic play around traffic and gas stations helps develop cognitive skills, evoking storytelling, and imagination. These skills support the ability to negotiate and empathize, both important when out making great, new

play companions.



NRO519









Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.







Fuel handle
Social-Emotional: cooperation skills and
turn-taking are supported when fueling
vehicles for friends. Cognitive: dramatic play
stimulates language development.

NRO519





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmentally friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



Ropes are made of UV-stabilized PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.

Item no. NRO519-0601					
Installation Information					
Max. fall height		0'0"			
Safety surfacing area		Oft²			
Total installation time		1.4			
Excavation volume	0	.1yd³			
Concrete volume		0yd³			
Footing depth (standard)		2'0"			
Shipment weight	8	31lbs			
Anchoring options	In-ground	~			
	Surface	~			
Warranty Information					
Robinia Wood	10 \	10 Years			
Spare Parts Availability	10 Years				
Stainless steel components	Lifetime				



Robinia products are available in three different wood treatment options: Untreated Robinia wood or brown painted with a pigment that maintains the wood color and colored version with paint of selected components.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1

ASTM F1487 compliant

Sustainability Data

NRO519





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO519-0601	10.16	0.32	2.51


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO519
**3'-7" / 108cm



Click to see TOP VIEW

Click to see SIDE VIEW