

Seesaw with 3 Seats

KPL117



Item no. KPL117-0402

General Product Information

Dimensions LxWxH	178x204x78 cm
Age group	3+
Play capacity (users)	6
Color options	



The whimsical shapes and colors of the Seesaw with 3 seats evoke children's curiosity: they want to try it out. The vibrant colors are consciously chosen to support the understanding of rules for the 3+ year olds: they can choose their color. The springs make it possible to rock individually or in uneven numbers. The platform in the middle supports

laying and standing. The platform can be used to start games or as a meeting point. Rocking on the Seesaw, especially when standing on the middle platform, trains the child's sense of space and balance. These are crucial as a basis of navigating the world securely. Good mastery of space and balance is the basis of, for instance, being able to sit still. When the

sense of balance is not developed, children cannot focus on anything else. So the sense of balance needs to be automatized in the early years. The Seesaw with 3 seats is a fun, playful way to do that.

Seesaw with 3 Seats

KPL117



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.

Item no. KPL117-0402	
Installation Information	
Max. fall height	100 cm
Safety surfacing area	11.9 m ²
Total installation time	3.4
Excavation volume	0.67 m ³
Concrete volume	0.00 m ³
Footing depth (standard)	43 cm
Shipment weight	169 kg
Anchoring options	In-ground ✓ Surface ✓



Platform and seats are made of HPL with a thickness of 17,8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Handles are made with a moulded PP insert and an outer layer of soft TPV rubber. The handles are attached to the pipe with a galvanised steel inlay to ensure strength and durability.



Sustainability Data

KPL117




Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
KPL117-0402	254.50	2.32	40.00

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Seesaw with 3 Seats


KPL117

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



KPL117
*100cm
**78cm
***11,9m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)